
Posted by [sasha198407](#) on Thu, 26 Nov 2009 13:09:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
ls -l /  
drwxrwxrwx 3 root root 4096 Nov 10 14:46 vol1  
drwxrwxrwx+ 7 10003 root 4096 Nov 3 11:58 vol2
```

```
# Samba config file created using SWAT  
# from 0.0.0.0 (0.0.0.0)  
# Date: 2009/11/10 16:31:36
```

```
[global]  
workgroup = DOMAYN  
realm = DOMAYN.LOCAL  
server string = FS  
security = ADS  
auth methods = winbind  
password server = 192.168.0.2  
log file = /var/log/samba/log.%m  
max log size = 50  
preferred master = No  
local master = No  
domain master = No  
wins server = 192.168.0.2
```

```
ldap ssl = no  
idmap uid = 10000-15000  
idmap gid = 10000-15000  
winbind separator = +  
winbind enum users = Yes  
winbind enum groups = Yes
```

winbind use default domain = Yes

[vol1]

comment = vol1

path = /vol1

read only = No

guest ok = Yes

browseable = No

vfs object = recycle full_audit

hide dot files = yes

recycle:repository = .trash/%S

recycle:keeptree = Yes

recycle:touch = Yes

recycle:touch_mtime = Yes

recycle:version = Yes

recycle:maxsize = 10000000000

recycle:exclude = *.mp3 *.MP3

recycle:directory_mode = 0777

recycle:versions = Yes

recycle:minsize = 0

full_audit:prefix = share=%S; id=%U; ip=%I ->

full_audit:success = unlink rmdir mkdir write rename write aio_write pwrite

full_audit:failure = unlink rmdir mkdir write rename write aio_write pwrite

full_audit:priority = INFO

blocking locks = yes

kernel oplocks = yes

locking = yes

oplocks = yes

level2 oplocks = yes

posix locking = yes

strict locking = no

share modes = yes

[vol2]

comment = vol2

path = /vol2

read only = No

guest ok = Yes

browseable = No

vfs object = recycle full_audit

hide dot files = yes

recycle:repository = .trash/%S

recycle:keeptree = Yes

recycle:touch = Yes

recycle:touch_mtime = Yes

recycle:version = Yes

recycle:maxsize = 10000000000
recycle:exclude = *.mp3 *.MP3
recycle:directory_mode = 0777
recycle:versions = Yes
recycle:minsize = 0
full_audit:prefix = share=%S; id=%U; ip=%I ->
full_audit:success = unlink rmdir mkdir write rename write aio_write pwrite
full_audit:failure = unlink rmdir mkdir write rename write aio_write pwrite
full_audit:priority = INFO
blocking locks = yes
kernel oplocks = yes
locking = yes
oplocks = yes
level2 oplocks = yes
posix locking = yes
strict locking = no
share modes = yes

Posted by [RXL_](#) on Thu, 26 Nov 2009 21:34:35 GMT
[View Forum Message](#) <> [Reply to Message](#)
