

---

Subject: i very need help i have some problem

Posted by [Nabil taha](#) on Tue, 12 Jan 2010 21:41:22 GMT

[View Forum Message](#) <|> [Reply to Message](#)

---

hello

now i have node

Core2Q 9650 with 8 G Ram , i work on verotal supported on openvz

i have 10 server on that node i see load node : load average: 20.62, 17.49, 13.62

when Run that cmd :

vzlist -o vpsid,laverage

CTID	LAVERAGE
100	3.99/3.48/2.40
110	0.07/0.08/0.04
120	2.33/2.29/1.90
130	0.03/0.15/0.17
140	0.62/0.46/0.26
150	1.17/1.56/1.44
160	0.35/0.30/0.35
170	1.62/1.63/1.29
210	5.63/4.29/2.95

enter exp : 210

i see no problem in that vps just some sent mail

i need fix that issue

sec issue :

when run that cmd : vzcpuchcheck -v

i see error : VEID CPUUNITS

-----

ERROR: VE0 CPU units not set, or set too high!

Probably you have not started /etc/init.d/vz

plz help me and i sorry i poor in English

Thanks

---

---

Subject: Re: i very need help i have some problem

Posted by [dedicados](#) on Wed, 13 Jan 2010 15:26:35 GMT

[View Forum Message](#) <|> [Reply to Message](#)

---

do you try to stop and start openvz???

also a load of 5 is not just for sending emails, maybe a php script is killing the VE, do you use any special panel there?? check the config of the control panel.

---

---

Subject: Re: i very need help i have some problem  
Posted by [Nabil taha](#) on Wed, 13 Jan 2010 16:54:40 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

that : OpenVZ Configuration

```
#####
##          ##
##  vePortal Generated OpenVZ      ##
##  Configuration File      ##
##          ##
#####
#
# =====
# Global Parameters
# =====
#
VIRTUOZZO=yes
LOCKDIR=/vz/lock
DUMPDIR=/vz/dump
VE0CPUUNITS=1000
#
# =====
# Logging Parameters
# =====
#
LOGGING=yes
LOGFILE=/var/log/vzctl.log
LOG_LEVEL=0
VERBOSE=0
#
# =====
# Disk Quota Parameters
# =====
#
DISK_QUOTA=yes
VZFASTBOOT=no
#
# =====
# Disable Module Loading
# if set, vz initscript will not load any modules
```

```

# =====
# 
#MODULES_DISABLED=yes
#
# The name of the device whose IP address will be used as source IP for CT.
# By default automatically assigned.
#VE_ROUTE_SRC_DEV="eth0"
#
# Controls which interfaces to send ARP requests and modify APR tables on.
NEIGHBOUR_DEVS=detect
#
# =====
# Template Parameters
# =====
#
# TEMPLATE=/vz/template
#
# =====
# Container Default Parameters
# =====
#
VE_ROOT=/vz/root/$VEID
VE_PRIVATE=/vz/private/$VEID
CONFIGFILE="veportal"
DEF_OSTEMPLATE="centos-5-x86"
#
## Load vzwdog module
VZWDOG="no"
#
## IPv4 iptables kernel modules
IPTABLES="ipt_REJECT ipt_tos ipt_limit ipt_multiport iptable_filter iptable_mangle ipt_TCPMSS
ipt_tcpmss ipt_ttl ipt_length"
#
## Enable IPv6
IPV6="no"
#
## IPv6 ip6tables kernel modules
IP6TABLES="ip6_tables ip6table_filter ip6table_mangle ip6t_REJECT"

```

and i use panel : Veportal

thanks for help

---



---

Subject: Re: i very need help i have some problem  
 Posted by [dedicados](#) on Fri, 15 Jan 2010 03:07:48 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

i mean, if you use a control panel for each VE, check config. also on each VE do a

#top

to see what process is taking a lot of resources

or do it in the main server and you can see which server and process is doing that.

---