
Subject: vzctl set cpuunits and vzcpucheck strange behaviour

Posted by [Paparaciz](#) on Thu, 14 Jan 2010 21:14:59 GMT

[View Forum Message](#) <> [Reply to Message](#)

I don't know if I missed something or is it just a bug....

kernel 2.6.18-164.2.1.el5.028stab066.10
vzctl-3.0.23-1

in each HN i have 1 CT runing (httpd, mysql with replication)

so there is a command sequence on HN

```
#vzctl set 502 --cpuunits 1000 --save
```

Setting CPU units: 1000

Saved parameters for CT 502

```
#vzcpucheck
```

Current CPU utilization: 2000

Power of the node: 160011

ok

```
#vzctl set 502 --cpuunits 10000 --save
```

Setting CPU units: 10000

```
#vzcpucheck
```

Current CPU utilization: 11000

Power of the node: 160011

emm ok

```
#vzctl set 502 --cpuunits 30000 --save
```

Setting CPU units: 30000

```
#vzcpucheck
```

Current CPU utilization: 32250

Power of the node: 160011

emmm why 32250 not 31000??

ok, let it be...

```
# vzctl set 502 --cpuunits 120000 --save
```

```
..
```

Current CPU utilization: 126000

+6000

ok

```
# vzctl set 502 --cpuunits 130000 --save
```

Current CPU utilization: 167666
Power of the node: 160011
Warning: hardware node is overcommitted

emm, what??

```
# vzctl set 502 --cpuunits 124000 --save
```

..

Current CPU utilization: 126000

```
# vzctl set 502 --cpuunits 125000 --save
```

..

Current CPU utilization: 126000

final

```
# vzctl set 502 --cpuunits 126000 --save
```

```
# vzcpucheck
```

Current CPU utilization: 167666

Power of the node: 160011

Warning: hardware node is overcommitted

so...

why some time vzctl set and vzcpucheck gives different expected result.

why setting cpuunits to 126000 gives hardware overcommitted while hardware node has power of 160011

Subject: Re: vzctl set cpuunits and vzcpucheck strange behaviour

Posted by [dedicados](#) on Fri, 15 Jan 2010 03:03:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

mmm i think this:

you do this

```
#vzctl set 502 --cpuunits 10000 --save
```

Setting CPU units: 10000

```
#vzcpucheck
```

Current CPU utilization: 11000

Power of the node: 160011

you are setting to the VE 502 the cpuunits and you are doing "vzcpucheck" but you dont specify the VE

so maybe vzcpucheck are checking the whole server so you get that values, your 10000 + 1000 of other VE ? or main SERVER ??

Subject: Re: vzctl set cpuunits and vzcpucheck strange behaviour

Posted by [Paparaciz](#) on Fri, 15 Jan 2010 07:24:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

yes, I know that CT0 takes 1000

easy to check:

```
# vzcpucheck -v
```

my question is why setting cpuunits to 30000 it makes all cpu utilization not 31000 but 32250 and why while systems power is 160010, setting cpuunits to 130000 makes not 131000, but 167666 cpu utilization of the node

Subject: Re: vzctl set cpuunits and vzcpucheck strange behaviour

Posted by [davidh](#) on Wed, 20 Apr 2011 11:11:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

The answer is simple. There is some magic number 500.000 in the code which is used to round numbers. I found the origin here: wiki.openvz.org/Fairsched_API#CPU_limit

So I found my vzcpucheck value of 479343 and I want every vz container to have 1/7 of the cpu time == 68477. When I enter this with vzctl I get 71428 as the value which is set.

Here is how the 500.000 number works: 500.000/71428 is an int! The next best lower number is 62500 cpuunits. When I enter that 7 times I get underbooking (which is what I want).
