

---

Subject: Newbie Question about network..

Posted by [Lord Daedra](#) on Thu, 04 Feb 2010 08:02:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello!

Host OS: Centos 5.4, VPS OS: Ubuntu 9.10.

I can't ping google.com on my VPS.

I used default Ubuntu template from this site, google nameserver 8.8.8.8 for VPS and ip 174.142.167.217.

```
vzctl create 217 --ostemplate ubuntu-9.10-x86 --ipadd 174.142.167.217 --hostname database.entropia.us --name database
```

```
vzctl set 217 --onboot yes --nameserver 8.8.8.8 --save
```

I need install public VEs (with their own IP addresses) so I'm look at [http://wiki.openvz.org/Common\\_Networking\\_HOWTOs](http://wiki.openvz.org/Common_Networking_HOWTOs) and use this command:  
[host-node]# echo 1 > /proc/sys/net/ipv4/ip\_forward

ifconfig on my host system:

```
Quote:[root@cl-t127-072cl ~]# ifconfig
eth0    Link encap:Ethernet HWaddr 00:30:48:B0:BA:D8
        inet addr:67.205.67.10 Bcast:67.205.67.31 Mask:255.255.255.224
        inet6 addr: fe80::230:48ff:feb0:bad8/64 Scope:Link
              UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
              RX packets:339100 errors:0 dropped:0 overruns:0 frame:0
              TX packets:178932 errors:0 dropped:0 overruns:0 carrier:0
              collisions:0 txqueuelen:10
              RX bytes:492718192 (469.8 MiB) TX bytes:12945821 (12.3 MiB)
              Memory:d0100000-d0120000
```

```
eth0:1  Link encap:Ethernet HWaddr 00:30:48:B0:BA:D8
        inet addr:174.142.167.217 Bcast:174.142.167.223 Mask:255.255.255.248
              UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
              Memory:d0100000-d0120000
```

```
eth0:2  Link encap:Ethernet HWaddr 00:30:48:B0:BA:D8
        inet addr:174.142.167.218 Bcast:174.142.167.223 Mask:255.255.255.248
              UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
              Memory:d0100000-d0120000
```

```
eth0:3  Link encap:Ethernet HWaddr 00:30:48:B0:BA:D8
        inet addr:174.142.167.219 Bcast:174.142.167.223 Mask:255.255.255.248
              UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
```

Memory:d0100000-d0120000

eth0:4 Link encap:Ethernet HWaddr 00:30:48:B0:BA:D8  
inet addr:174.142.167.220 Bcast:174.142.167.223 Mask:255.255.255.248  
UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1  
Memory:d0100000-d0120000

eth0:5 Link encap:Ethernet HWaddr 00:30:48:B0:BA:D8  
inet addr:174.142.167.221 Bcast:174.142.167.223 Mask:255.255.255.248  
UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1  
Memory:d0100000-d0120000

eth0:6 Link encap:Ethernet HWaddr 00:30:48:B0:BA:D8  
inet addr:174.142.167.222 Bcast:174.142.167.223 Mask:255.255.255.248  
UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1  
Memory:d0100000-d0120000

lo Link encap:Local Loopback  
inet addr:127.0.0.1 Mask:255.0.0.0  
inet6 addr: ::1/128 Scope:Host  
UP LOOPBACK RUNNING MTU:16436 Metric:1  
RX packets:6 errors:0 dropped:0 overruns:0 frame:0  
TX packets:6 errors:0 dropped:0 overruns:0 carrier:0  
collisions:0 txqueuelen:0  
RX bytes:504 (504.0 b) TX bytes:504 (504.0 b)

venet0 Link encap:UNSPEC HWaddr 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00  
inet6 addr: fe80::1/128 Scope:Link  
UP BROADCAST POINTOPOINT RUNNING NOARP MTU:1500 Metric:1  
RX packets:0 errors:0 dropped:0 overruns:0 frame:0  
TX packets:0 errors:0 dropped:0 overruns:0 carrier:0  
collisions:0 txqueuelen:0  
RX bytes:0 (0.0 b) TX bytes:0 (0.0 b)

next i start and enter to my VPS and see ifconfig command blank result..

Info from datacenter:

Primary IP address : 67.205.67.10  
Primary IP mask : 255.255.255.224  
Gateway : 67.205.67.1

Usable secondary addresses: 174.142.167.217-222  
Mask : 255.255.255.248

So also I replaced all 255.255.255.255 in /etc/vz/dists/scripts/debian-add\_ip.sh to 255.255.255.248 in debian add ip script...

P.S.

```
[root@cl-t127-072cl ~]# ip rule list
```

```
0: from all lookup 255
```

```
32766: from all lookup main
```

```
32767: from all lookup default
```

```
[root@cl-t127-072cl ~]# iptables -t nat -L && iptables -t filter -L && iptables -t mangle -L
```

```
Chain PREROUTING (policy ACCEPT)
```

```
target prot opt source destination
```

```
Chain POSTROUTING (policy ACCEPT)
```

```
target prot opt source destination
```

```
Chain OUTPUT (policy ACCEPT)
```

```
target prot opt source destination
```

```
Chain INPUT (policy ACCEPT)
```

```
target prot opt source destination
```

```
Chain FORWARD (policy ACCEPT)
```

```
target prot opt source destination
```

```
Chain OUTPUT (policy ACCEPT)
```

```
target prot opt source destination
```

```
Chain PREROUTING (policy ACCEPT)
```

```
target prot opt source destination
```

```
Chain INPUT (policy ACCEPT)
```

```
target prot opt source destination
```

```
Chain FORWARD (policy ACCEPT)
```

```
target prot opt source destination
```

```
Chain OUTPUT (policy ACCEPT)
```

```
target prot opt source destination
```

```
Chain POSTROUTING (policy ACCEPT)
```

```
target prot opt source destination
```

Please help me, where is my error?

---

---

Subject: Re: Newbie Question about network..

Posted by [Paparaciz](#) on Thu, 04 Feb 2010 09:33:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I think you should also define gw for yours 174.142.167.xxx range

as I understand you configured to use veth, so for each VE you have to add gw

---

---

Subject: Re: Newbie Question about network..

Posted by [Lord Daedra](#) on Thu, 04 Feb 2010 13:33:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I dont know what is better veth or venet.. what is more easy to install?

Ok, venet..

1. I need run

a) [host-node]# iptables -t nat -A POSTROUTING -o eth0 -j MASQUERADE

or

b) [host-node]# iptables -t nat -A POSTROUTING -o eth0:1 -j MASQUERADE

[host-node]# iptables -t nat -A POSTROUTING -o eth0:2 -j MASQUERADE

[host-node]# iptables -t nat -A POSTROUTING -o eth0:3 -j MASQUERADE

[host-node]# iptables -t nat -A POSTROUTING -o eth0:4 -j MASQUERADE

[host-node]# iptables -t nat -A POSTROUTING -o eth0:5 -j MASQUERADE

[host-node]# iptables -t nat -A POSTROUTING -o eth0:6 -j MASQUERADE

(for every IP)

?

I tried a) and reboot after - but it doesnt help for me

(Its from guide [http://wiki.openvz.org/Common\\_Networking\\_HOWTOs](http://wiki.openvz.org/Common_Networking_HOWTOs) )

2. Here [http://forum.openvz.org/index.php?t=msg&&th=7188&goto=34847#msg\\_34847](http://forum.openvz.org/index.php?t=msg&&th=7188&goto=34847#msg_34847) I find this

route add default gw 192.168.1.1 dev eth0

I tried run this command in VPS but get error

```
root@database:# route add default gw 67.205.67.1 dev eth0
```

```
SIOCADDRT: No such device
```

```
root@database:# ifconfig
```

```
root@database:#
```

Yes, I see what no devices but why they did not installed when I used "set 217 --ipadd 174.142.167.217 --save" and how to install them?

ifconfig return blank result but I dont know how to fix this..

```
root@database:# cat /etc/network/interfaces
```

```
# This configuration file is auto-generated.
```

```
# WARNING: Do not edit this file, otherwise your changes will be lost.  
# Please edit template /etc/network/interfaces.template instead.
```

```
auto lo  
iface lo inet loopback  
address 127.0.0.1  
netmask 255.0.0.0  
broadcast 127.255.255.255  
up ip route replace 127.0.0.0/8 dev lo
```

```
# Auto generated interfaces  
auto lo  
iface lo inet loopback  
  
auto venet0  
iface venet0 inet static  
address 127.0.0.1  
netmask 255.255.255.248  
broadcast 67.205.67.1  
up route add -net 192.0.2.1 netmask 255.255.255.248 dev venet0  
up route add default gw 192.0.2.1  
auto venet0:0  
iface venet0:0 inet static  
address 174.142.167.217  
netmask 255.255.255.248  
broadcast 67.205.67.1
```

May be I need change smth in /etc/network/interfaces.template ?

Please tell me any easy way how to setup Internet connecton for my VPSes

P.S. On node:

```
[root@cl-t127-072cl ~]# route -n  
Kernel IP routing table  
Destination     Gateway         Genmask        Flags Metric Ref  Use Iface  
174.142.167.219 0.0.0.0      255.255.255.255 UH   0    0      0 venet0  
174.142.167.218 0.0.0.0      255.255.255.255 UH   0    0      0 venet0  
174.142.167.217 0.0.0.0      255.255.255.255 UH   0    0      0 venet0  
174.142.167.216 0.0.0.0      255.255.255.248 U    0    0      0 eth0  
67.205.67.0     0.0.0.0       255.255.255.224 U    0    0      0 eth0  
169.254.0.0     0.0.0.0       255.255.0.0     U    0    0      0 eth0  
0.0.0.0          67.205.67.1  0.0.0.0       UG   0    0      0 eth0
```

(3 VPSes)

---

---

Subject: Re: Newbie Question about network..

Posted by [Paparaciz](#) on Thu, 04 Feb 2010 14:04:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

you wroted that:

Usable secondary addresses: 174.142.167.217-222

Mask : 255.255.255.248

who gave you this ip addresses?

they are not public, they are private ip addresses

[http://en.wikipedia.org/wiki/Private\\_network#Private\\_IPv4\\_address\\_spaces](http://en.wikipedia.org/wiki/Private_network#Private_IPv4_address_spaces)

as i see you have only one public ip address

so if you want to have internet inside VE do following config:

remove all the eth aliases (eth0:0 - eth0:x), leave only eth0

add private ip address to VE (for example 174.142.167.217)

then do

echo 1 > /proc/sys/net/ipv4/ip\_forward

iptables -t nat -A POSTROUTING -o eth0 -j MASQUERADE

that's all

if you want to have VE with public ip addresses ask them from your provider and assign them to VE.

if you want assign services for your VE and you have only one public ip just forward port to you VE in HN.

further reading:

[http://wiki.openvz.org/Using\\_NAT\\_for\\_container\\_with\\_private\\_IPs](http://wiki.openvz.org/Using_NAT_for_container_with_private_IPs)

[http://wiki.openvz.org/Common\\_Networking\\_HOWTOs](http://wiki.openvz.org/Common_Networking_HOWTOs)

<http://wiki.openvz.org/Containers/Networking>

and of course read the

<http://download.openvz.org/doc/OpenVZ-Users-Guide.pdf>

---

---

Subject: Re: Newbie Question about network..

Posted by [Lord Daedra](#) on Thu, 04 Feb 2010 15:35:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I got them in my datacenter (iWeb)

They are all public..

<http://ws.arin.net/whois/?queryinput=174.142.167.217>

---

---

Subject: Re: Newbie Question about network..  
Posted by [Paparaciz](#) on Thu, 04 Feb 2010 17:30:12 GMT  
[View Forum Message](#) <> [Reply to Message](#)

yes, sorry.  
but that doesn't change much...  
as I see you should follow this guide  
[http://wiki.openvz.org/VEs\\_and\\_HNs\\_in\\_different\\_subnets](http://wiki.openvz.org/VEs_and_HNs_in_different_subnets)

but maybe you can try another way  
do as i said in previous message and add to your /etc/sysctl.conf  
net.ipv4.conf.eth0.proxy\_arp = 1  
and then  
sysctl -p  
to apply changes  
then you should get to the internet from VE

---

---

Subject: Re: Newbie Question about network..  
Posted by [Lord Daedra](#) on Fri, 05 Feb 2010 07:18:44 GMT  
[View Forum Message](#) <> [Reply to Message](#)

> remove all the eth aliases (eth0:0 - eth0:x), leave only eth0

Thanks, its solve my problem. (I used commands from this page  
<http://www.cyberciti.biz/faq/linux-command-to-remove-virtual-interfaces-or-network-aliases/> )

Yesterday I tested on ubuntu cache tpl from this site, its bugged.. So network will not work and with correct settings.

I recommend use this tpl for ubuntu  
<http://blog.bodhizazen.net/linux/download-ubuntu-9-10-openvz-templates/comment-page-1/>

P.S.  
I used iptables -t nat -A POSTROUTING -o eth0 -j MASQUERADE command but I think , I need not it. How to cancel the effect of this command? (Do I need it?)

---

---

Subject: Re: Newbie Question about network..  
Posted by [teekien](#) on Wed, 28 Apr 2010 12:30:57 GMT  
[View Forum Message](#) <> [Reply to Message](#)

This is exactly what I had in mind too!

---