

---

Subject: dual NIC

Posted by [foxb](#) on Mon, 15 Feb 2010 20:58:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

I have following config

```
internet
|
router
| Public subnet
fw - dmz
|
LAN
```

I have a server with OpenVZ that has to host Containers with IP from both public and DMZ subnet

I tried to set IPs on 2 NICs each connected in pub and dmz respectively, but I cannot ping from pub to dmz.

Default route is public

Do i miss something?

If more information is needed I'll provide it.

---

---

Subject: Re: dual NIC

Posted by [seanfulton](#) on Thu, 25 Feb 2010 16:06:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

No other responses so I will try to jump in. We have a couple of hundred VEs on machines connected to two distinct networks so here is what I know. Maybe it will help:

We have two separate LANs and the VEs all are on a separate (third) subnet. We set up quagga/rip to announce the routes and we use rip configuration rules to weight one network over the other.

When the VEs are on the same network as one of the NICs, I believe OpenVZ uses arp to announce them. In a case like ours with separate networks, we treat the HN like a router. It is set to announce kernel routes from venet0, and only accept a default route from the network. This allows the HN to control what it announces.

On the other host nodes, we tell them to prefer routes to the VEs over the front-side connection using rip metrics.

So when a VE comes up, the HN will announce a route to it over both networks. Each other host

on the network gives the VE IP space a lower metric over the primary LAN than over the secondary. If the primary becomes unavailable, traffic will traverse the backup.

It's a bit simplified of an explanation but I hope it helps.

In your case, you may need routing+NAT, I am not sure.

sean

---

Subject: Re: dual NIC  
Posted by [foxb](#) on Thu, 25 Feb 2010 23:23:01 GMT  
[View Forum Message](#) <> [Reply to Message](#)

It is good setup...

Yes I imagine that this includes some iptables, but I solved the problem old fashioned way.

Just migrated the CTs to 2 machines each with only one subnet.