

---

Posted by [xeon](#) on Tue, 02 Mar 2010 12:49:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

```
#!/usr/sbin/vzctl start 400
Starting container ...
vzquota : (error) Quota on syscall for id 400: File exists
vzquota on failed [3]
```

```
#!/usr/sbin/vzquota drop 400
```

```
#!/usr/sbin/vzquota drop 400
vzquota : (error) Can't open quota file for id 400, maybe you need to reinitialize quota: No such file
or directory
```

```
#!/usr/sbin/vzctl start 400
Starting container ...
Initializing quota ...
vzquota : (error) Quota on syscall for id 400: File exists
vzquota on failed [3]
```

```
[pid 14553] execve("/usr/sbin/vzquota", ["/usr/sbin/vzquota", "on", "400", "-r", "0", "-b", "62914660", "-B", "62914660", "-i", "1000100", "-l", "1400100", "-e", "0", "-n", ...], [/* 3 vars */]) = 0
```

<skip>

```
[pid 14553] open("/var/vzquota/quota.400", O_RDWR|O_LARGEFILE) = 8
```

<skip>

```
[pid 14553] open("/dev/vzctl", O_RDWR|O_LARGEFILE) = 9  
[pid 14553] ioctl(9, 0xc0102b02, 0xbfbc03e0) = -1 EEXIST (File exists)  
[pid 14553] close(9) = 0  
[pid 14553] open("/dev/vzctl", O_RDWR|O_LARGEFILE) = 9  
[pid 14553] ioctl(9, 0xc0102b02, 0xbfbc03e0) = 0  
[pid 14553] close(9) = 0  
[pid 14553] write(2, "vzquota : ", 10vzquota : ) = 10  
[pid 14553] write(2, "(error) ", 8(error) ) = 8  
[pid 14553] write(2, "Quota on syscall for id 400", 27Quota on syscall for id 400) = 27  
[pid 14553] write(2, ": File exists", 13: File exists) = 13  
[pid 14553] write(2, "\n", 1  
) = 1
```