
Posted by [virusystem](#) on Wed, 17 Mar 2010 15:01:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

pcap_loop: cooked-mode frame doesn't have room for sll header

OC Fedora 7

Posted by [sHaggY_caT](#) on Sat, 20 Mar 2010 11:03:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

===== vzctl(8) =====

--capability capname:on|off

Sets a capability for a container. Note that setting capability when the container is running does not take immediate effect; restart the container in order for the changes to take effect. Note a container has default set of capabilities, thus any operation on capabilities is "logical and" with the default capability mask.

You can use the following values for capname: chown, dac_override, dac_read_search, fowner, fsetid, kill, setgid, setuid, setpcap, linux_immutable, net_bind_service, net_broadcast, net_admin, net_raw, ipc_lock, ipc_owner, sys_module, sys_rawio, sys_chroot, sys_ptrace, sys_pacct, sys_admin, sys_boot, sys_nice, sys_resource, sys_time, sys_tty_config, mknod, lease, setveid, ve_admin.

Posted by [virusystem](#) on Sat, 20 Mar 2010 11:53:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

pcap_loop: corrupted frame on kernel ring mac offset 80 + caplen 244 > frame len 160

Posted by [sHaggY_caT](#) on Sat, 20 Mar 2010 12:08:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

pcap_loop: corrupted frame on kernel ring mac offset 80 + caplen 244 > frame len 160

Posted by [virusystem](#) on Sat, 20 Mar 2010 14:11:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

HN ip - 192.168.0.5/24

gw - 192.168.0.1

VE ip 192.168.0.10/24

gw 192.168.2.1

HN: ping 192.168.0.10 - ok

VE: ping 192.168.0.5 - ok

HN: ping google.com - ok

VE: ping google.com - unknown host

VE: ping 192.168.0.1

reply 192.168.0.5 - prohibition

Posted by [sHaggY_caT](#) on Sat, 20 Mar 2010 14:27:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

virusystem wrote on Sat, 20 March 2010 09:11

HN ip - 192.168.0.5/24

gw - 192.168.0.1

VE ip 192.168.0.10/24

gw 192.168.2.1

HN: ping 192.168.0.10 - ok

VE: ping 192.168.0.5 - ok

HN: ping google.com - ok

VE: ping google.com - unknown host

VE: ping 192.168.0.1

reply 192.168.0.5 - prohibition

net.ipv4.conf.default.forwarding=1

net.ipv4.ip_forward=1

Posted by [virusystem](#) on Sat, 20 Mar 2010 14:56:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

http://wiki.openvz.org/Quick_installation

```
vzctl set 101 --ipadd 192.168.0.10 --save  
vzctl set 101 --nameserver 192.168.0.1 --save
```

Posted by [sHaggY_caT](#) on Sat, 20 Mar 2010 16:13:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

ip r ls
