

---

Posted by [virusystem](#) on Wed, 17 Mar 2010 15:01:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

pcap\_loop: cooked-mode frame doesn't have room for sll header

OC Fedora 7

---

---

Posted by [sHaggY\\_caT](#) on Sat, 20 Mar 2010 11:03:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

===== vzctl( 8 ) =====

--capability capname:on|off

Sets a capability for a container. Note that setting capability when the container is running does not take immediate effect; restart the container in order for the changes to take effect. Note a container has default set of capabilities, thus any operation on capabilities is "logical and" with the default capability mask.

You can use the following values for capname: chown, dac\_override, dac\_read\_search, fowner, fsetid, kill, setgid, setuid, setpcap, linux\_immutable, net\_bind\_service, net\_broadcast, net\_admin, net\_raw, ipc\_lock, ipc\_owner, sys\_module, sys\_rawio, sys\_chroot, sys\_ptrace, sys\_pacct, sys\_admin, sys\_boot, sys\_nice, sys\_resource, sys\_time, sys\_tty\_config, mknod, lease, setveid, ve\_admin.

Posted by [virusystem](#) on Sat, 20 Mar 2010 11:53:34 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

pcap\_loop: corrupted frame on kernel ring mac offset 80 + caplen 244 > frame len 160

---

---

Posted by [sHaggY\\_caT](#) on Sat, 20 Mar 2010 12:08:17 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

pcap\_loop: corrupted frame on kernel ring mac offset 80 + caplen 244 > frame len 160

---

---

Posted by [virusystem](#) on Sat, 20 Mar 2010 14:11:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

HN ip - 192.168.0.5/24

gw - 192.168.0.1

VE ip 192.168.0.10/24

gw 192.168.2.1

HN: ping 192.168.0.10 - ok

VE: ping 192.168.0.5 - ok

HN: ping google.com - ok

VE: ping google.com - unknown host

VE: ping 192.168.0.1

reply 192.168.0.5 - prohibition

---

---

Posted by [sHaggY\\_caT](#) on Sat, 20 Mar 2010 14:27:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

virusystem wrote on Sat, 20 March 2010 09:11

HN ip - 192.168.0.5/24  
gw - 192.168.0.1  
VE ip 192.168.0.10/24  
gw 192.168.2.1

HN: ping 192.168.0.10 - ok  
VE: ping 192.168.0.5 - ok  
HN: ping google.com - ok  
VE: ping google.com - unknown host  
VE: ping 192.168.0.1  
reply 192.168.0.5 - prohibition

net.ipv4.conf.default.forwarding=1  
net.ipv4.ip\_forward=1

Posted by [virusystem](#) on Sat, 20 Mar 2010 14:56:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

`http://wiki.openvz.org/Quick_installation`

`vzctl set 101 --ipadd 192.168.0.10 --save`

`vzctl set 101 --nameserver 192.168.0.1 --save`

---

Posted by [sHaggY\\_caT](#) on Sat, 20 Mar 2010 16:13:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

`ip r ls`