
Posted by [Dmitry Koterov](#) on Fri, 18 Nov 2005 22:36:19 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
mount --bind /tmp/a /tmp/b
```

```
simfs /tmp/b simfs rw,noatime 0 0
```

```
/home/vz/private/26 /home/vz/root/26/tmp/b simfs rw,noatime 0 0
```

```
mtab.
```

```
/tmp/a /tmp/b none rw,bind 0 0
```

Posted by [Dmitry Koterov](#) on Tue, 22 Nov 2005 13:48:04 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
[root@build /]# cat /etc/mtab
...
/tmp/a /tmp/b none rw,bind 0 0
```

Posted by [kir](#) on Fri, 25 Nov 2005 13:17:01 GMT
[View Forum Message](#) <> [Reply to Message](#)

Core 4:

```
[root@kir ~]# uname -a
Linux kir.sw.ru 2.6.14-1.1637_FC4 #1 Wed Nov 9 18:19:37 EST 2005
```

```
[root@kir ~]# cat /proc/mounts | grep /home
/dev/sda6 /home ext3 rw,data=ordered 0 0
```

```
[root@kir ~]# mkdir /tmp/2
[root@kir ~]# mount -obind /home/ /tmp/2
[root@kir ~]# cat /proc/mounts | grep /tmp/2
/dev/sda6 /tmp/2 ext3 rw,data=ordered 0 0
```

Posted by [Dmitry Koterov](#) on Fri, 25 Nov 2005 14:14:18 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [kir](#) on Fri, 25 Nov 2005 14:47:29 GMT
[View Forum Message](#) <> [Reply to Message](#)
