
Subject: [andrex@alumni.utexas.net: Bug#378045: vzctl: /etc/init.d/vz gives up too easily, doesn't tell me wh

Posted by [Ola Lundqvist](#) on Thu, 13 Jul 2006 20:23:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

forwarded 378045 devel@openvz.org
tags 378045 + upstream
thanks

Hi

I have got the following bugreport. What can you say about it?

Regards,

// Ola

----- Forwarded message from Andrew Schulman <andrex@alumni.utexas.net> -----

Envelope-to: ola@opalsys.net

Delivery-date: Wed, 12 Jul 2006 23:45:29 +0200

Subject: Bug#378045: vzctl: /etc/init.d/vz gives up too easily, doesn't tell me why

Reply-To: Andrew Schulman <andrex@alumni.utexas.net>,
378045@bugs.debian.org

Resent-From: Andrew Schulman <andrex@alumni.utexas.net>

Resent-To: debian-bugs-dist@lists.debian.org

Resent-CC: Ola Lundqvist <opal@debian.org>

Resent-Date: Wed, 12 Jul 2006 21:33:05 UTC

Resent-Message-ID: <handler.378045.B.115273824219750@bugs.debian.org>

X-Debian-PR-Message: report 378045

X-Debian-PR-Package: vzctl

X-Debian-PR-Keywords:

From: Andrew Schulman <andrex@alumni.utexas.net>

To: Debian Bug Tracking System <submit@bugs.debian.org>

X-Spam-Checker-Version: SpamAssassin 2.60-bugs.debian.org_2005_01_02
(1.212-2003-09-23-exp) on spohr.debian.org

X-Spam-Level:

X-Spam-Status: No, hits=-7.0 required=4.0 tests=BAYES_00,HAS_PACKAGE,
RCVD_IN_SORBS autolearn=no version=2.60-bugs.debian.org_2005_01_02

Resent-Sender: Debian BTS <debbugs@bugs.debian.org>

Resent-Date: Wed, 12 Jul 2006 14:33:08 -0700

X-Spam-Score: 1.1 (+)

X-Spamcheck-provider: Checked for spam by opalsys.net, postmaster@opalsys.net

Package: vzctl

Version: 3.0.10-1

Severity: important

With a fresh installation of vzctl, I get

```
# /etc/init.d/vz start
Starting OpenVZ: ..failed
```

and this prevents the package from installing completely, by the way.
There are two problems:

(1) The script fails because '/sbin/modprobe vxdquota' fails in the 'for MOD in \$MODULES' loop beginning at line 378. But that's only because I don't have a vxdquota module for my kernel, so it shouldn't be an error. (I can't find any vxdquota-related kernel config option, probably because I don't have user accounting enabled in general in my kernel. But even if I did have it it could be built into my kernel, not as a module.) It seems that the script should check that a module exists before trying to load it.

(2) The script doesn't tell me why it failed. It calls

```
print_failure "Loading module ${MOD}"
```

which should print that information to the console, but doesn't.

Thanks,
Andrew.

-- System Information:

Debian Release: testing/unstable

APT prefers testing

APT policy: (990, 'testing'), (300, 'unstable'), (200, 'stable')

Architecture: amd64 (x86_64)

Shell: /bin/sh linked to /bin/bash

Kernel: Linux 2.6.16

Locale: LANG=C, LC_CTYPE=C (charmap=ANSI_X3.4-1968)

Versions of packages vzctl depends on:

ii libc6 2.3.6-15 GNU C Library: Shared libraries

vzctl recommends no packages.

-- no debconf information

----- End forwarded message -----

--

----- Ola Lundqvist -----

/ opal@debian.org	Annebergsslingan 37	\
opal@lysator.liu.se	654 65 KARLSTAD	
+46 (0)54-10 14 30	+46 (0)70-332 1551	
http://www.opal.dhs.org	UIN/icq: 4912500	
\ gpg/f.p.: 7090 A92B 18FE 7994 0C36 4FE4 18A1 B1CF 0FE5 3DD9 /		
