
Posted by [stanlee](#) on Mon, 09 Aug 2010 13:11:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [RXL_](#) on Mon, 09 Aug 2010 17:39:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [stanlee](#) on Mon, 09 Aug 2010 18:11:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [stanlee](#) on Tue, 10 Aug 2010 13:14:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [RXL_](#) on Tue, 10 Aug 2010 18:07:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

nginx.

Posted by [stanlee](#) on Tue, 10 Aug 2010 19:18:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [RXL_](#) on Tue, 10 Aug 2010 19:33:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [sHaggY_caT](#) on Mon, 16 Aug 2010 13:33:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [Wireless](#) on Wed, 01 Sep 2010 04:10:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

RXL_ wrote on Tue, 10 August 2010 12:07

nginx.

Posted by [RXL_](#) on Wed, 01 Sep 2010 10:13:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

/etc/nginx/nginx.conf:

```
daemon on;

user apache apache;

pid /var/run/nginx.pid;
error_log /var/log/nginx/error.log error;

worker_processes 2;
worker_rlimit_nofile 8192;

events {
    worker_connections 4096;
}

http {
    include mime.types;
    default_type application/octet-stream;

    log_format main
        '$remote_addr - $remote_user [$time_local] "$request" '
        '$status $body_bytes_sent "$http_referer" '
        '"$http_user_agent" "$http_x_forwarded_for"';

    access_log /var/log/nginx/access.log main;

    sendfile on;
    #tcp_nopush on;
    keepalive_timeout 60;
    server_tokens off;

    gzip on;
    gzip_types text/html text/plain text/xml text/css text/javascript application/x-javascript;

    client_max_body_size 4M;

    proxy_set_header Host $http_host;
    proxy_set_header X-Forwarded-Host $http_x_forwarded_host;
    proxy_set_header X-Real-IP $remote_addr;
    proxy_set_header X-Forwarded-For $http_x_forwarded_for;

    upstream us_apache {
        server main.local:80;
    }

    upstream us_redmine {
        server redmine.local:3000;
    }
}
```

```
    include virtuals/*.conf;  
}
```

mod_rpaf.