

---

Subject: \*SOLVED\* Can't Boot 2.6.8-022stab078.14 on CentOS 4.3

Posted by [userzero](#) on Tue, 01 Aug 2006 23:54:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I'm new to OpenVZ. Would appreciate some help.

I installed the 2.6.8-022stab078.14 RPM on a fresh install of CentOS 4.3 and got the following message:

WARNING: No module sata\_sil found for kernel 2.6.8-022stab078.14, continuing anyway

A quick search of this forum revealed advice to ignore such messages so I went ahead and rebooted (after editing sysctl.conf), but the server failed to start up.

Unfortunately this is on a remote server and it's hard to get information out of the data center tech. All he told me was that the server stopped responding at: " ata1(0): applying Seagate errata fix". Don't know if it would help, but I'm attaching the dmesg output for the default CentOS kernel, the 2nd one in the grub.conf below, which starts up okay.

Below are the contents of my grub.conf and sysctl.conf. Let me know if there is any other info I can post that would make the problem easier to solve.

Thanks in advance for any advice.

```
# grub.conf generated by anaconda
#
# Note that you do not have to rerun grub after making changes to this file
# NOTICE: You have a /boot partition. This means that
#          all kernel and initrd paths are relative to /boot/, eg.
#          root (hd0,0)
#          kernel /vmlinuz-version ro root=/dev/sda3
#          initrd /initrd-version.img
#boot=/dev/sda
default=0
timeout=5
splashimage=(hd0,0)/grub/splash.xpm.gz
hiddenmenu
title OpenVZ (2.6.8-022stab078.14)
    root (hd0,0)
    kernel /vmlinuz-2.6.8-022stab078.14 ro root=LABEL=/ ide0=noprobe ide1=noprobe
    initrd /initrd-2.6.8-022stab078.14.img
title CentOS (2.6.9-34.0.2.EL)
    root (hd0,0)
    kernel /vmlinuz-2.6.9-34.0.2.EL ro root=LABEL=/ ide0=noprobe ide1=noprobe
    initrd /initrd-2.6.9-34.0.2.EL.img
title CentOS-4 i386 (2.6.9-34.EL)
    root (hd0,0)
    kernel /vmlinuz-2.6.9-34.EL ro root=LABEL=/ ide0=noprobe ide1=noprobe
```

initrd /initrd-2.6.9-34.EL.img

```
#####
# Kernel sysctl configuration file for Red Hat Linux
#
# For binary values, 0 is disabled, 1 is enabled. See sysctl( and
# sysctl.conf(5) for more details.

# Controls IP packet forwarding
net.ipv4.ip_forward = 1
net.ipv4.conf.default.proxy_arp = 0

# Controls source route verification
net.ipv4.conf.default.rp_filter = 1

# Do not accept source routing
net.ipv4.conf.default.accept_source_route = 0

# Controls the System Request debugging functionality of the kernel
kernel.sysrq = 1

# Controls whether core dumps will append the PID to the core filename.
# Useful for debugging multi-threaded applications.
kernel.core_uses_pid = 1

# TCP Explicit Congestion Notification
#net.ipv4.tcp_ecn = 0
# we do not want all our interfaces to send redirects
net.ipv4.conf.default.send_redirects = 1
*net.ipv4.conf.all.send_redirects = 0
```

---

#### File Attachments

1) [dmesg.txt](#), downloaded 354 times

---

---

Subject: Re: Can't Boot 2.6.8-022stab078.14 on CentOS 4.3

Posted by [userzero](#) on Wed, 02 Aug 2006 06:32:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Okay, I tried this on another machine which is identical except for the fact that the drive is IDE instead of SATA and installation went without a hitch.

So I guess it's the SATA drive that was causing the problem.

---

---

Subject: Re: Can't Boot 2.6.8-022stab078.14 on CentOS 4.3

Posted by [Vasily Tarasov](#) on Wed, 02 Aug 2006 07:06:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Kernels inside RPM are compiled using config with

`CONFIG_BLK_DEV_IDE_SATA` off...

So to get OpenVZ working on machine in question

you can compile kernel yourself with

`CONFIG_BLK_DEV_IDE_SATA` switched on.

---

---

Subject: Re: Can't Boot 2.6.8-022stab078.14 on CentOS 4.3

Posted by [userzero](#) on Wed, 02 Aug 2006 07:13:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Okay, thanks.

I've already switched machines, but that's good to know for future reference.

---