
Subject: Hooks at start/stop of VE
Posted by [oscarah](#) on Wed, 13 Oct 2010 16:29:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello,

I've been searching for a while, and I didn't find a method to execute a script when a VE starts or stops. Is it possible? Is there a (official) way to execute a hook on every container?

Thanks to all

Subject: Re: Hooks at start/stop of VE
Posted by [oscarah](#) on Tue, 19 Oct 2010 16:54:27 GMT
[View Forum Message](#) <> [Reply to Message](#)

Well, searching a bit more, I've found something. If you put an script called CTID.mount, on /etc/vz/conf, it will be called at mounting the specified CTID. There are a CTID.umount too.

The problem with this is that .umount is called AFTER umounting root filesystem. I want a script called on post-start and pre-stop of each container.

So, to solve this, I've written a small script which wraps the tool vzctl, and launches the hooks. The script is the following:

```
#!/bin/bash
# -*- mode: sh; coding: utf-8 -*-

# Copyright (c) 2010 Oscar Aceña.
# This is Free Software, under terms of GPL v3.0 (or later)

# NOTE: this will not check the correctness of parameters, so
# call it only correctly

# Execution synopsis
# $ vzctl [--help | --version]
# $ vzctl [--quiet | --verbose] <start | stop | restart> CTID

if [ -z "$VZCTL" ]; then VZCTL=/usr/sbin/vzctl-bin; fi
if [ -z "$HOOKSDIR" ]; then HOOKSDIR=/etc/vz/hooks; fi

if [ ! -d "$HOOKSDIR" ]; then
    $VZCTL "$@"
    echo "No hooks defined"
    exit $?
fi
```

```

if [ $# -gt 1 ] && [ "$1" != "--help" ] && [ "$1" != "--version" ]; then

    # --skiplock is not documented, but is used on /etc/init.d/vz
    if [ "$1" == "--verbose" ] || [ "$1" == "--quiet" ] || [ "$1" == "--skiplock" ]; then
        CMD="$2"
        CTID="$3"
    else
        CMD="$1"
        CTID="$2"
    fi

    if ! [ "$CTID" -eq "$CTID" 2> /dev/null ]; then
        nCTID=$(vzlist "$CTID" 2> /dev/null | grep "$CTID" | awk '{print $1}')
        if [ -z $nCTID ]; then
            echo "CT ID $CTID is invalid."
            exit 1
        fi
    else
        nCTID=$CTID
    fi

    if vzlist $nCTID | grep -qs 'running'; then

if [ $CMD == "stop" ] || [ $CMD == "restart" ]; then
    hook="$HOOKSDIR/$nCTID.pre.stop"
    if [ -f "$hook" ]; then $hook; fi
fi

$VZCTL "$@"

if [ $CMD == "restart" ]; then
    hook="$HOOKSDIR/$nCTID.post.start"
    if [ -f "$hook" ]; then $hook; fi
fi
exit 0

else

$VZCTL "$@"

if [ $CMD == "start" ] || [ $CMD == "restart" ]; then
    hook="$HOOKSDIR/$nCTID.post.start"
    if [ -f "$hook" ]; then $hook; fi
fi
exit 0
fi
fi

```

```
# In order to identify the wrapper
if [ -z "$@" ]; then echo -n "w-"; fi
```

```
$VZCTL "$@"
exit $?
```

It will call hooks on /etc/vz/hooks directory. The names of each hook is CTID.pre.stop and CTID.post.start. This files must have execution permission.

I'm using this script as an alternative (/etc/alternatives) for vzctl. You can install it using this makefile:

```
# -*- mode: make-gnumakefile; coding: utf-8 -*-
```

all:

install:

```
install -d $(DESTDIR)/usr/local/bin
install -d $(DESTDIR)/etc/alternatives
install -d $(DESTDIR)/usr/sbin
```

```
install -m 755 vzctl-wrapp.sh $(DESTDIR)/usr/local/bin
mv $(DESTDIR)/usr/sbin/vzctl $(DESTDIR)/usr/sbin/vzctl-bin
ln -fs $(DESTDIR)/usr/local/bin/vzctl-wrapp.sh $(DESTDIR)/etc/alternatives/vzctl
ln -fs $(DESTDIR)/etc/alternatives/vzctl $(DESTDIR)/usr/sbin
```

remove:

```
rm $(DESTDIR)/etc/alternatives/vzctl
rm $(DESTDIR)/usr/local/bin/vzctl-wrapp.sh
mv $(DESTDIR)/usr/sbin/vzctl-bin $(DESTDIR)/usr/sbin/vzctl
```

The makefile is for standard Debian systems. Change locations of files to match your system. To install, just "make install" as root. To remove, "make remove".

Hope it help you.

Cheers,

File Attachments

- 1) [vzctl-wrapp.sh](#), downloaded 200 times
 - 2) [Makefile](#), downloaded 210 times
-
-

Subject: Re: Hooks at start/stop of VE
Posted by [kir](#) on Wed, 20 Oct 2010 08:23:11 GMT
[View Forum Message](#) <> [Reply to Message](#)

There are also \$CTID.start and \$CTID.stop script.

There are also premount and postumount scripts, see this git commit:
<http://git.openvz.org/?p=vzctl;a=commit;h=eeceb721472483f6e8d90cbfe72967c3336b5e77>
