
2.6.18-194.26.1.el5.028stab070.12

Posted by [zv2](#) on Wed, 17 Nov 2010 12:32:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
[root@t2 ~]# ip ro sh
192.168.101.106 dev venet0 scope link src 192.168.101.2
192.168.101.105 dev venet0 scope link src 192.168.101.2
192.168.101.12 dev eth0 scope link
192.168.101.103 dev venet0 scope link src 192.168.101.2
192.168.101.102 dev venet0 scope link src 192.168.101.2
192.168.101.101 dev venet0 scope link src 192.168.101.2
192.168.101.0/24 dev eth1 proto kernel scope link src 192.168.101.2
169.254.0.0/16 dev eth1 scope link
default via 192.168.101.11 dev eth1
```

```
[root@t2 ~]# netstat -rn
Kernel IP routing table
Destination     Gateway         Genmask        Flags   MSS Window irtt Iface
192.168.101.106 0.0.0.0      255.255.255.255 UH       0 0        0 venet0
192.168.101.105 0.0.0.0      255.255.255.255 UH       0 0        0 venet0
192.168.101.12  0.0.0.0      255.255.255.255 UH       0 0        0 eth0
192.168.101.103 0.0.0.0      255.255.255.255 UH       0 0        0 venet0
192.168.101.102 0.0.0.0      255.255.255.255 UH       0 0        0 venet0
192.168.101.101 0.0.0.0      255.255.255.255 UH       0 0        0 venet0
192.168.101.0   0.0.0.0      255.255.255.0    U       0 0        0 eth1
169.254.0.0     0.0.0.0      255.255.0.0     U       0 0        0 eth1
0.0.0.0          192.168.101.11 0.0.0.0      UG      0 0        0 eth1
```

```
[root@t2 ~]# cat /proc/net/arp
IP address      HW type   Flags     HW address           Mask   Device
192.168.101.11  0x1       0x2      00:22:15:27:39:36  *      eth1
```

```
[root@t2 ~]# vzctl enter 106
entered into CT 106
```

```
[root@ns1 /]# host openvz.org
;; connection timed out; no servers could be reached
```

```
[root@t2 ~]# ip ro sh
192.168.101.106 dev venet0 scope link src 192.168.101.2
192.168.101.105 dev venet0 scope link src 192.168.101.2
192.168.101.12 dev eth0 scope link
192.168.101.103 dev venet0 scope link src 192.168.101.2
192.168.101.102 dev venet0 scope link src 192.168.101.2
192.168.101.101 dev venet0 scope link src 192.168.101.2
192.168.101.0/24 dev eth1 proto kernel scope link src 192.168.101.2
169.254.0.0/16 dev eth1 scope link
default via 192.168.101.11 dev eth1
```

```
[root@t2 ~]# netstat -rn
Kernel IP routing table
Destination     Gateway         Genmask        Flags MSS Window irtt Iface
192.168.101.106 0.0.0.0      255.255.255.255 UH        0 0          0 venet0
192.168.101.105 0.0.0.0      255.255.255.255 UH        0 0          0 venet0
192.168.101.12  0.0.0.0      255.255.255.255 UH        0 0          0 eth0
192.168.101.103 0.0.0.0      255.255.255.255 UH        0 0          0 venet0
192.168.101.102 0.0.0.0      255.255.255.255 UH        0 0          0 venet0
192.168.101.101 0.0.0.0      255.255.255.255 UH        0 0          0 venet0
192.168.101.0  0.0.0.0      255.255.255.0   U        0 0          0 eth1
169.254.0.0    0.0.0.0      255.255.0.0    U        0 0          0 eth1
0.0.0.0        192.168.101.11 0.0.0.0      UG        0 0          0 eth1
```

```
[root@t2 ~]# cat /proc/net/arp
IP address      HW type   Flags    HW address        Mask    Device
192.168.101.11 0x1       0x2      00:22:15:27:39:36  *       eth1
192.168.101.106 0x1       0xc      00:00:00:00:00:00  *       eth1
192.168.101.105 0x1       0xc      00:00:00:00:00:00  *       eth1
192.168.101.103 0x1       0xc      00:00:00:00:00:00  *       eth1
192.168.101.102 0x1       0xc      00:00:00:00:00:00  *       eth1
192.168.101.101 0x1       0xc      00:00:00:00:00:00  *       eth1
```

```
# vzctl enter 106
entered into CT 106
[root@ns1 /]# host openvz.org
openvz.org has address 64.131.90.7
openvz.org mail is handled by 10 mx1.parallels.com.
```

openvz.org mail is handled by 20 mx2.parallels.com.

2.6.18-194.26.1.el5.028stab070.12

Posted by [esetnod](#) on Fri, 19 Nov 2010 21:26:39 GMT

[View Forum Message](#) <> [Reply to Message](#)
