
Subject: Re: [PATCH 1/1, v6] cgroup/freezer: add per freezer duty ratio control
Posted by [Matt Helsley](#) on Thu, 10 Feb 2011 22:43:32 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Thu, Feb 10, 2011 at 02:22:21PM -0800, jacob pan wrote:
> On Thu, 10 Feb 2011 11:11:17 -0800
> Matt Helsley <matthlrc@us.ibm.com> wrote:
>
>> On Wed, Feb 09, 2011 at 07:06:15PM -0800, Arjan van de Ven wrote:
>>> On 2/9/2011 7:04 PM, Matt Helsley wrote:
>>>> On Tue, Feb 08, 2011 at 05:05:41PM -0800,
>>>> jacob.jun.pan@linux.intel.com wrote:
>>>>> From: Jacob Pan<jacob.jun.pan@linux.intel.com>
>>>>>
>>>>> Freezer subsystem is used to manage batch jobs which can start
>>>>> stop at the same time. However, sometime it is desirable to let
>>>>> the kernel manage the freezer state automatically with a given
>>>>> duty ratio.
>>>>> For example, if we want to reduce the time that background apps
>>>>> are allowed to run we can put them into a freezer subsystem and
>>>>> set the kernel to turn them THAWED/FROZEN at given duty ratio.
>>>>>
>>>>> This patch introduces two file nodes under cgroup
>>>>> freezer.duty_ratio_pct and freezer.period_sec
>>>>>
>>>>> Usage example: set period to be 5 seconds and frozen duty ratio
>>>>> 90% [root@localhost aoa]# echo 90> freezer.duty_ratio_pct
>>>>> [root@localhost aoa]# echo 5000> freezer.period_ms
>>>>> I kept wondering how this was useful when we've got the "cpu"
>>>>> subsystem because for some reason "duty cycle" made me think this
>>>>> was a scheduling policy knob. In fact, I'm pretty sure it is -- it
>>>>> just happens to sometimes reduce power consumption.
>>>>>
>>>>> Have you tried using the cpu cgroup subsystem's share to see if it
>>>>> can have a similar effect?
>>>>>
>>>>> does the cpu cgroup system work on a 20 to 30 second time window?
>>>>>
>>>>> I don't think so -- it works directly with the scheduler IIRC.
>>>>>
>>>>> I played with cpu subsystem a little today, it is for real-time tasks
>>>>> only. By data type of cpu.rt_period_us cpu.rt_runtime_us, it
>>>>> actually has a pretty long time window (35 mins, int type at usec
>>>>> resolution).
>>>>> For some reason, I could not even get cpu subsystem to work with RT
>>>>> task to work on 38-rc2 kernel. Here is what I did
>>>>> - mount and create cpu cgroup fs
>>>>> - launch task with SCHED_RR

> - attach task to my newly created cgroup
> - adjust `cpu.rt_period_us` `cpu.rt_runtime_us`
> But it never changed percentage of runtime. The task in the cpu cgroup
> always run at 100% or more than the `runtime_us` as I specified. I have
> tried both with system idle and background tasks.
>
> I do agree that dealing with group scheduler directly might be more
> natural. but the hurdle might be changing cpu subsystem to support
> non-rt, and deal with scheduler heuristics.

Even though it probably requires more effort that seems like the right approach.

Cheers,
-Matt Helsley

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
