
Subject: -bash: child setpgid (7091 to 8093): Operation not permitted

Posted by [Vincent van Gelder](#) on Fri, 11 Aug 2006 13:27:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

Sometimes when I login at a openvz virtual private server using ssh, I get this message:

Have a lot of fun...

```
-bash: child setpgid (10836 to 11837): Operation not permitted
```

Now when I use a command like `ls` (a non bash built-in command), bash terminates.

When I use a bash built-in command like `echo 'foobar'` I get the same message again:

```
$ echo foobar
```

```
foobar
```

```
-bash: child setpgid (10836 to 11837): Operation not permitted
```

When I start a new bash shell, inside this shell I'm getting the hostname from the physical machine instead of the virtual machine and also getting the ip address from the physical machine. The process list however is from the virtual machine.

this is a piece from ps on the physical machine

```
# ps -eo pid,ppid,pgid,user,lstart,args f
```

```
  PID PPID PGID USER          STARTED COMMAND
15258  1 15258 root    Wed Aug  9 14:38:49 2006 init [3]
8232 15258 8232 root    Fri Aug 11 13:40:26 2006 \_ /usr/sbin/sshd
-o PidFile=/var/run/sshd.init.pid
10810 8232 10810 root    Fri Aug 11 14:09:12 2006 \_ sshd:
vincent [priv]
10812 10810 10810 vincent Fri Aug 11 14:09:13 2006 \_ sshd:
vincent@pts/0
10813 10812 10813 vincent Fri Aug 11 14:09:13 2006 \_ -bash
10868 10813 10868 vincent Fri Aug 11 14:10:53 2006 \_  bash
```

this the complete ps on the virtual machine:

```
$ ps -eo pid,ppid,pgid,user,lstart,args f
```

```
  PID PPID PGID USER          STARTED COMMAND
10813 10812 10813 vincent Fri Aug 11 16:09:13 2006 -bash
10868 10813 10868 vincent Fri Aug 11 16:10:53 2006 \_  bash
10985 10868 10985 vincent Fri Aug 11 16:24:15 2006 \_  ps -eo
pid,ppid,pgid,user,lstart,args f
15258  1 15258 root    Wed Aug  9 16:38:49 2006 init [3]
16622 15258 16622 root    Wed Aug  9 16:38:52 2006 \_ /sbin/syslog-ng
16625 15258 16625 root    Wed Aug  9 16:38:52 2006 \_ /sbin/klogd -c 1
```

```
-X -X
16631 15258 16631 nobody   Wed Aug  9 16:38:52 2006 \_ /sbin/portmap
4645 15258 4597 root     Thu Aug 10 14:13:33 2006 \_ /bin/sh
/usr/bin/mysqld_safe --datadir=/var/lib/
4678 4645 4597 mysql    Thu Aug 10 14:13:33 2006 | \_
/usr/sbin/mysqld --basedir=/ --datadir=/var/
8232 15258 8232 root     Fri Aug 11 15:40:26 2006 \_ /usr/sbin/sshd
-o PidFile=/var/run/sshd.init.pid
10810 8232 10810 root     Fri Aug 11 16:09:12 2006 \_ sshd:
vincent [priv]
```

It seems like the ssh process with pid 10812 is missing here.

I did a strace on the physical machine on pid 10813 and then I exited process 10868 on the virtual machine.

```
$ exit
-bash: child setpgid (11022 to 11837): Operation not permitted
16:27:23 vincent@testvz ~ :)
$ logout
```

I have attached the strace file.

```
kernel: Linux pc-094 2.6.16.13-026test012-2-default #1 Wed May 3
08:53:23 MSD 2006 i686 i686 i386 GNU/Linux
distro: opensuse10
```

--

Met vriendelijk groeten,
Vincent van Gelder

Dauphin MultiMedia - <http://www.dauphin-mm.nl/>

```
waitpid(-1, [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], WSTOPPED) = 10868
rt_sigprocmask(SIG_BLOCK, [CHLD TSTP TTIN TTOU], [CHLD], 8) = 0
ioctl(255, TIOCSPGRP, [11837]) = -1 EPERM (Operation not permitted)
rt_sigprocmask(SIG_SETMASK, [CHLD], NULL, 8) = 0
ioctl(255, SNDCTL_TMR_TIMEBASE or TCGETS, {B38400 opost isig icanon echo ...}) = 0
ioctl(255, TIOCGWINSZ, {ws_row=73, ws_col=212, ws_xpixel=1280, ws_ypixel=954}) = 0
rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
--- SIGCHLD (Child exited) @ 0 (0) ---
waitpid(-1, 0xbfff0448, WNOHANG|WSTOPPED) = -1 ECHILD (No child processes)
sigreturn() = ? (mask now [])
rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
rt_sigaction(SIGINT, {0x80831d7, [], SA_RESTORER, 0x400c55e8}, {0x80831d7, [],
```

```

SA_RESTORER, 0x400c55e8}, 8) = 0
time(NULL) = 1155299243
stat64("/var/mail/vincent", 0xbfff024c) = -1 ENOENT (No such file or directory)
time(NULL) = 1155299243
time([1155299243]) = 1155299243
stat64("/etc/localtime", {st_mode=S_IFREG|0644, st_size=815, ...}) = 0
pipe([3, 5]) = 0
rt_sigprocmask(SIG_BLOCK, [INT CHLD], [], 8) = 0
clone(child_stack=0, flags=CLONE_CHILD_CLEARTID|CLONE_CHILD_SETTID|SIGCHLD,
child_tidptr=0x401bd708) = 11022
setpgid(11022, 11837) = -1 EPERM (Operation not permitted)
rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
--- SIGCHLD (Child exited) @ 0 (0) ---
waitpid(-1, [{WIFEXITED(s) && WEXITSTATUS(s) == 0}], WNOHANG|WSTOPPED) = 11022
waitpid(-1, 0xbfffeeaf8, WNOHANG|WSTOPPED) = -1 ECHILD (No child processes)
sigreturn() = ? (mask now [])
rt_sigaction(SIGCHLD, {0x80741c0, [], SA_RESTORER, 0x400c55e8}, {0x80741c0, [],
SA_RESTORER, 0x400c55e8}, 8) = 0
close(5) = 0
read(3, ":\n", 128) = 3
read(3, "", 128) = 0
close(3) = 0
rt_sigprocmask(SIG_BLOCK, [CHLD], [], 8) = 0
rt_sigprocmask(SIG_BLOCK, [CHLD TSTP TTIN TTOU], [CHLD], 8) = 0
ioctl(255, TIOCSPGRP, [11837]) = -1 EPERM (Operation not permitted)
rt_sigprocmask(SIG_SETMASK, [CHLD], NULL, 8) = 0
rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
rt_sigprocmask(SIG_BLOCK, [CHLD TSTP TTIN TTOU], [], 8) = 0
ioctl(255, TIOCSPGRP, [11837]) = -1 EPERM (Operation not permitted)
rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
rt_sigaction(SIGINT, {0x80831d7, [], SA_RESTORER, 0x400c55e8}, {0x80831d7, [],
SA_RESTORER, 0x400c55e8}, 8) = 0
rt_sigprocmask(SIG_BLOCK, [INT], [], 8) = 0
ioctl(0, TIOCGWINSZ, {ws_row=73, ws_col=212, ws_xpixel=1280, ws_ypixel=954}) = 0
ioctl(0, TIOCSWINSZ, {ws_row=73, ws_col=212, ws_xpixel=1280, ws_ypixel=954}) = 0
ioctl(0, SNDCTL_TMR_TIMEBASE or TCGETS, {B38400 opost isig icanon echo ...}) = 0
ioctl(0, SNDCTL_TMR_STOP or TCSETSW, {B38400 opost isig -icanon -echo ...}) = 0
rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
rt_sigaction(SIGINT, {0x400381e0, [], SA_RESTORER, 0x400c55e8}, {0x80831d7, [],
SA_RESTORER, 0x400c55e8}, 8) = 0
rt_sigaction(SIGTERM, {0x400381e0, [], SA_RESTORER, 0x400c55e8}, {SIG_IGN}, 8) = 0
rt_sigaction(SIGTERM, {SIG_IGN}, {0x400381e0, [], SA_RESTORER, 0x400c55e8}, 8) = 0
rt_sigaction(SIGQUIT, {0x400381e0, [], SA_RESTORER, 0x400c55e8}, {SIG_IGN}, 8) = 0
rt_sigaction(SIGQUIT, {SIG_IGN}, {0x400381e0, [], SA_RESTORER, 0x400c55e8}, 8) = 0
rt_sigaction(SIGALRM, {0x400381e0, [], SA_RESTORER, 0x400c55e8}, {0x8083139, [HUP INT
ILL TRAP ABRT BUS FPE USR1 SEGV USR2 PIPE ALRM TERM XCPU XFSZ VTALRM SYS],
SA_RESTORER, 0x400c55e8}, 8) = 0
rt_sigaction(SIGTSTP, {0x400381e0, [], SA_RESTORER, 0x400c55e8}, {SIG_IGN}, 8) = 0

```

```

rt_sigaction(SIGTSTP, {SIG_IGN}, {0x400381e0, [], SA_RESTORER, 0x400c55e8}, 8) = 0
rt_sigaction(SIGTTOU, {0x400381e0, [], SA_RESTORER, 0x400c55e8}, {SIG_IGN}, 8) = 0
rt_sigaction(SIGTTOU, {SIG_IGN}, {0x400381e0, [], SA_RESTORER, 0x400c55e8}, 8) = 0
rt_sigaction(SIGTTIN, {0x400381e0, [], SA_RESTORER, 0x400c55e8}, {SIG_IGN}, 8) = 0
rt_sigaction(SIGTTIN, {SIG_IGN}, {0x400381e0, [], SA_RESTORER, 0x400c55e8}, 8) = 0
rt_sigaction(SIGWINCH, {0x40037c80, [], SA_RESTORER|SA_RESTART, 0x400c55e8},
{0x8072b6b, [], SA_RESTORER, 0x400c55e8}, 8) = 0
write(2, "\33[0;33m16:27:23 vincent@testvz ~"... , 41) = 41
write(2, "$ ", 2) = 2
rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
read(0, 0xbffefffb, 1) = -1 EIO (Input/output error)
rt_sigprocmask(SIG_BLOCK, [INT], [], 8) = 0
ioctl(0, SNDCTL_TMR_STOP or TCSETSW, {B38400 opost isig icanon echo ...}) = 0
rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
rt_sigaction(SIGINT, {0x80831d7, [], SA_RESTORER, 0x400c55e8}, {0x400381e0, [],
SA_RESTORER, 0x400c55e8}, 8) = 0
rt_sigaction(SIGTERM, {SIG_IGN}, {SIG_IGN}, 8) = 0
rt_sigaction(SIGQUIT, {SIG_IGN}, {SIG_IGN}, 8) = 0
rt_sigaction(SIGALRM, {0x8083139, [HUP INT ILL TRAP ABRT BUS FPE USR1 SEGV USR2
PIPE ALRM TERM XCPU XFSZ VTALRM SYS], SA_RESTORER, 0x400c55e8}, {0x400381e0, [],
SA_RESTORER, 0x400c55e8}, 8) = 0
rt_sigaction(SIGTSTP, {SIG_IGN}, {SIG_IGN}, 8) = 0
rt_sigaction(SIGTTOU, {SIG_IGN}, {SIG_IGN}, 8) = 0
rt_sigaction(SIGTTIN, {SIG_IGN}, {SIG_IGN}, 8) = 0
rt_sigaction(SIGWINCH, {0x8072b6b, [], SA_RESTORER, 0x400c55e8}, {0x40037c80, [],
SA_RESTORER|SA_RESTART, 0x400c55e8}, 8) = 0
rt_sigaction(SIGINT, {0x80831d7, [], SA_RESTORER, 0x400c55e8}, {0x80831d7, [],
SA_RESTORER, 0x400c55e8}, 8) = 0
write(2, "logout\n", 7) = 7
open("/data/home/vincent/.bash_logout", O_RDONLY|O_LARGEFILE) = 3
fstat64(3, {st_mode=S_IFREG|0644, st_size=25, ...}) = 0
read(3, "# ~/.bash_logout\n\n#clear\n", 25) = 25
close(3) = 0
rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
rt_sigprocmask(SIG_BLOCK, NULL, [], 8) = 0
open("/etc/bash.bash_logout", O_RDONLY|O_LARGEFILE) = -1 ENOENT (No such file or
directory)
rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
rt_sigaction(SIGINT, {0x80831d7, [], SA_RESTORER, 0x400c55e8}, {0x80831d7, [],
SA_RESTORER, 0x400c55e8}, 8) = 0
stat64("/data/home/vincent/.bash_history", {st_mode=S_IFREG|0600, st_size=11604, ...}) = 0
open("/data/home/vincent/.bash_history", O_WRONLY|O_APPEND) = 3
write(3, "echo foobar\nbash\n", 17) = 17
close(3) = 0
open("/data/home/vincent/.bash_history", O_RDONLY) = 3

```

```
fstat64(3, {st_mode=S_IFREG|0600, st_size=11621, ...}) = 0
read(3, "rm -rf tk.eclipse.plugin.htmlledi"..., 11621) = 11621
close(3) = 0
rt_sigprocmask(SIG_BLOCK, [CHLD TSTP TTIN TTOU], [], 8) = 0
ioctl(255, TIOCSPGRP, [11837]) = -1 EPERM (Operation not permitted)
rt_sigprocmask(SIG_SETMASK, [], NULL, 8) = 0
setpgid(0, 11837) = -1 ESRCH (No such process)
munmap(0x402d4000, 4096) = 0
munmap(0x402d5000, 4096) = 0
exit_group(0) = ?
```

Subject: Re: -bash: child setpgid (7091 to 8093): Operation not permitted
Posted by [Mishin Dmitry](#) on Mon, 14 Aug 2006 08:51:36 GMT
[View Forum Message](#) <> [Reply to Message](#)

Vincent,

Could you try newer kernel?

http://software.opensuse.org/download/home:/openvz/SUSE_Linux_10.1/i586/

Please, report if bug still exist.

On Friday 11 August 2006 17:27, Vincent van Gelder wrote:

> Hi,

>

> Sometimes when I login at a openvz virtual private server using ssh, I

> get this message:

> Have a lot of fun...

> -bash: child setpgid (10836 to 11837): Operation not permitted

>

> Now when I use a command like `ls` (a non bash built-in command), bash

> terminates.

> When I use a bash built-in command like `echo 'foobar'` I get the same

> message again:

> \$ echo foobar

> foobar

> -bash: child setpgid (10836 to 11837): Operation not permitted

>

> When I start a new bash shell, inside this shell I'm getting the

> hostname from the physical machine instead of the virtual machine and

> also getting the ip address from the physical machine. The process list

> however is from the virtual machine.

>

> this is a piece from ps on the physical machine

> # ps -eo pid,ppid,pgid,user,lstart,args f

> PID PPID PGID USER STARTED COMMAND

> 15258 1 15258 root Wed Aug 9 14:38:49 2006 init [3]

```

> 8232 15258 8232 root    Fri Aug 11 13:40:26 2006 \_ /usr/sbin/sshd
> -o PidFile=/var/run/sshd.init.pid
> 10810 8232 10810 root    Fri Aug 11 14:09:12 2006    \_ sshd:
> vincent [priv]
> 10812 10810 10810 vincent Fri Aug 11 14:09:13 2006        \_ sshd:
> vincent@pts/0
> 10813 10812 10813 vincent Fri Aug 11 14:09:13 2006        \_ -bash
> 10868 10813 10868 vincent Fri Aug 11 14:10:53 2006        \_
> bash
>
>
> this the complete ps on the virtual machine:
> $ ps -eo pid,ppid,pgid,user,lstart,args f
>  PID PPID PGID USER          STARTED COMMAND
> 10813 10812 10813 vincent  Fri Aug 11 16:09:13 2006 -bash
> 10868 10813 10868 vincent  Fri Aug 11 16:10:53 2006 \_ bash
> 10985 10868 10985 vincent  Fri Aug 11 16:24:15 2006  \_ ps -eo
> pid,ppid,pgid,user,lstart,args f
> 15258   1 15258 root    Wed Aug  9 16:38:49 2006 init [3]
> 16622 15258 16622 root    Wed Aug  9 16:38:52 2006 \_ /sbin/syslog-ng
> 16625 15258 16625 root    Wed Aug  9 16:38:52 2006 \_ /sbin/klogd -c 1
> -x -x
> 16631 15258 16631 nobody  Wed Aug  9 16:38:52 2006 \_ /sbin/portmap
> 4645 15258 4597 root    Thu Aug 10 14:13:33 2006 \_ /bin/sh
> /usr/bin/mysqld_safe --datadir=/var/lib/
> 4678 4645 4597 mysql   Thu Aug 10 14:13:33 2006 | \_
> /usr/sbin/mysqld --basedir=/ --datadir=/var/
> 8232 15258 8232 root    Fri Aug 11 15:40:26 2006 \_ /usr/sbin/sshd
> -o PidFile=/var/run/sshd.init.pid
> 10810 8232 10810 root    Fri Aug 11 16:09:12 2006    \_ sshd:
> vincent [priv]
>
> It seems like the ssh process with pid 10812 is missing here.
>
> I did a strace on the physical machine on pid 10813 and then I exited
> process 10868 on the virtual machine.
> $ exit
> -bash: child setpgid (11022 to 11837): Operation not permitted
> 16:27:23 vincent@testvz ~ :)
> $ logout
>
>
>
> I have attached the strace file.
>
> kernel: Linux pc-094 2.6.16.13-026test012-2-default #1 Wed May 3
> 08:53:23 MSD 2006 i686 i686 i386 GNU/Linux
> distro: opensuse10

```

--
Thanks,
Dmitry.

Subject: Re: -bash: child setpgid (7091 to 8093): Operation not permitted
Posted by [Vincent van Gelder](#) on Mon, 14 Aug 2006 14:49:15 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dmitry Mishin wrote:

Hi Dmitry,

I just installed the kernel you suggested and will let you now soon if I encountered the problem again or that the problem has gone.

> Vincent,
>
> Could you try newer kernel?
> http://software.opensuse.org/download/home:/openvz/SUSE_Linux_10.1/i586/
>
> Please, report if bug still exist.
>
>

--
Met vriendelijk groeten,
Vincent van Gelder

Dauphin MultiMedia - <http://www.dauphin-mm.nl/>
