Posted by Slava Dubrovskiy on Fri, 25 Mar 2011 14:04:15 GMT
View Forum Message <> Reply to Message

```
bridge name     bridge id               STP enabled     interfaces
breth0          8000.001517267cea       no              eth0
                                                        veth1010.0
                                                        vnet1
                                                        vnet3
breth1          8000.001517267cea       no              vlan3011
                                                        vnet0
                                                        vnet2
```

```
# vzlist -a
      CTID      NPROC STATUS    IP_ADDR         HOSTNAME
      1010         14 running   -               vps1010ua67.host.com
```

```
1015        36 running   195.211.yyy.38  cacti.host.com
1030        27 running   109.72.xxx.70   ns2.host.com



[root@ua67 slava]# arp -n
Address                  HWtype  HWaddress           Flags Mask            Iface
109.72.xxx.1             ether   00:19:c6:00:c2:81   C                     breth1
195.211.yyy.33           ether   00:19:c6:00:c2:81   C                     breth0
195.211.yyy.36           ether   00:18:51:3f:d3:b7   C                     breth0
109.72.xxx.70            *       *                   MP                    breth1
109.72.xxx.222           *       *                   MP                    breth1
195.211.yyy.38           *       *                   MP                    breth0


# ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 16436 qdisc noqueue state UNKNOWN
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
    inet6 ::1/128 scope host
       valid_lft forever preferred_lft forever
2: eth1: <BROADCAST,MULTICAST> mtu 1500 qdisc noop state DOWN qlen 1000
    link/ether 00:15:17:26:7c:e8 brd ff:ff:ff:ff:ff:ff
3: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state UP qlen
1000
    link/ether 00:15:17:26:7c:ea brd ff:ff:ff:ff:ff:ff
    inet6 fe80::215:17ff:fe26:7cea/64 scope link
       valid_lft forever preferred_lft forever
8: virbr0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue state
UNKNOWN
    link/ether 7e:6c:dd:73:07:0a brd ff:ff:ff:ff:ff:ff
    inet 192.168.122.1/24 brd 192.168.122.255 scope global virbr0
11: vnet2: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state
UNKNOWN qlen 500
    link/ether fe:54:00:e6:76:3e brd ff:ff:ff:ff:ff:ff
    inet6 fe80::fc54:ff:fee6:763e/64 scope link
       valid_lft forever preferred_lft forever
12: vnet3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state
UNKNOWN qlen 500
    link/ether fe:54:00:2a:20:e2 brd ff:ff:ff:ff:ff:ff
    inet6 fe80::fc54:ff:fe2a:20e2/64 scope link
       valid_lft forever preferred_lft forever
14: vnet1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state
UNKNOWN qlen 500
    link/ether fe:54:00:10:cb:3a brd ff:ff:ff:ff:ff:ff
    inet6 fe80::fc54:ff:fe10:cb3a/64 scope link
       valid_lft forever preferred_lft forever
17: breth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue state
```

UNKNOWN
    link/ether 00:15:17:26:7c:ea brd ff:ff:ff:ff:ff:ff
    inet 195.211.yyy.34/27 scope global breth0
    inet6 fe80::215:17ff:fe26:7cea/64 scope link
       valid_lft forever preferred_lft forever
18: vlan3011@eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue state UP
    link/ether 00:15:17:26:7c:ea brd ff:ff:ff:ff:ff:ff
    inet6 fe80::215:17ff:fe26:7cea/64 scope link
       valid_lft forever preferred_lft forever
20: breth1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue state UNKNOWN
    link/ether 00:15:17:26:7c:ea brd ff:ff:ff:ff:ff:ff
    inet 109.72.xxx.52/24 scope global breth1
    inet6 fe80::215:17ff:fe26:7cea/64 scope link
       valid_lft forever preferred_lft forever
23: vnet0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state UNKNOWN qlen 500
    link/ether fe:54:00:11:cb:be brd ff:ff:ff:ff:ff:ff
    inet6 fe80::fc54:ff:fe11:cbbe/64 scope link
       valid_lft forever preferred_lft forever
26: venet0: <BROADCAST,POINTOPOINT,NOARP,UP,LOWER_UP> mtu 1500 qdisc noqueue state UNKNOWN
    link/void
27: veth1010.0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue state UNKNOWN
    link/ether 00:18:51:c9:60:cc brd ff:ff:ff:ff:ff:ff
    inet6 fe80::218:51ff:fec9:60cc/64 scope link
       valid_lft forever preferred_lft forever

15:03:35.498570 ARP, Request who-has 109.72.xxx.70 tell 109.72.xxx.1, length 46

Posted by gralex on Wed, 30 Mar 2011 08:22:03 GMT
View Forum Message <> Reply to Message

sysctl -a | grep proxy_arp