
Posted by [Slava Dubrovskiy](#) on Fri, 25 Mar 2011 14:04:15 GMT
[View Forum Message](#) <> [Reply to Message](#)

bridge name	bridge id	STP enabled	interfaces
breth0	8000.001517267cea	no	eth0
		veth1010.0	
		vnet1	
		vnet3	
breth1	8000.001517267cea	no	vlan3011
		vnet0	
		vnet2	

```
# vzlist -a
CTID      NPROC STATUS IP_ADDR      HOSTNAME
1010      14 running -           vps1010ua67.host.com
```

```
1015    36 running 195.211.yyy.38 cacti.host.com
1030    27 running 109.72.xxx.70 ns2.host.com
```

```
[root@ua67 slava]# arp -n
```

Address	HWtype	HWaddress	Flags	Mask	Iface
109.72.xxx.1	ether	00:19:c6:00:c2:81	C		breth1
195.211.yyy.33	ether	00:19:c6:00:c2:81	C		breth0
195.211.yyy.36	ether	00:18:51:3f:d3:b7	C		breth0
109.72.xxx.70	*	*	MP		breth1
109.72.xxx.222	*	*	MP		breth1
195.211.yyy.38	*	*	MP		breth0

```
# ip a
```

```
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 16436 qdisc noqueue state UNKNOWN
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
    inet6 ::1/128 scope host
        valid_lft forever preferred_lft forever
2: eth1: <BROADCAST,MULTICAST> mtu 1500 qdisc noop state DOWN qlen 1000
    link/ether 00:15:17:26:7c:e8 brd ff:ff:ff:ff:ff:ff
3: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state UP qlen 1000
    link/ether 00:15:17:26:7c:ea brd ff:ff:ff:ff:ff:ff
    inet6 fe80::215:17ff:fe26:7cea/64 scope link
        valid_lft forever preferred_lft forever
8: virbr0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue state UNKNOWN
    link/ether 7e:6c:dd:73:07:0a brd ff:ff:ff:ff:ff:ff
    inet 192.168.122.1/24 brd 192.168.122.255 scope global virbr0
11: vnet2: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state UNKNOWN qlen 500
    link/ether fe:54:00:e6:76:3e brd ff:ff:ff:ff:ff:ff
    inet6 fe80::fc54:ff:fee6:763e/64 scope link
        valid_lft forever preferred_lft forever
12: vnet3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state UNKNOWN qlen 500
    link/ether fe:54:00:2a:20:e2 brd ff:ff:ff:ff:ff:ff
    inet6 fe80::fc54:ff:fe2a:20e2/64 scope link
        valid_lft forever preferred_lft forever
14: vnet1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state UNKNOWN qlen 500
    link/ether fe:54:00:10:cb:3a brd ff:ff:ff:ff:ff:ff
    inet6 fe80::fc54:ff:fe10:cb3a/64 scope link
        valid_lft forever preferred_lft forever
17: breth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue state
```

UNKNOWN

link/ether 00:15:17:26:7c:ea brd ff:ff:ff:ff:ff:ff
inet 195.211.yyy.34/27 scope global breth0
inet6 fe80::215:17ff:fe26:7cea/64 scope link
valid_lft forever preferred_lft forever

18: vlan3011@eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue state UP

link/ether 00:15:17:26:7c:ea brd ff:ff:ff:ff:ff:ff
inet6 fe80::215:17ff:fe26:7cea/64 scope link
valid_lft forever preferred_lft forever

20: breth1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue state

UNKNOWN

link/ether 00:15:17:26:7c:ea brd ff:ff:ff:ff:ff:ff
inet 109.72.xxx.52/24 scope global breth1
inet6 fe80::215:17ff:fe26:7cea/64 scope link
valid_lft forever preferred_lft forever

23: vnet0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state

UNKNOWN qlen 500

link/ether fe:54:00:11:cb:be brd ff:ff:ff:ff:ff:ff
inet6 fe80::fc54:ff:fe11:cbbe/64 scope link
valid_lft forever preferred_lft forever

26: venet0: <BROADCAST,POINTOPOINT,NOARP,UP,LOWER_UP> mtu 1500 qdisc noqueue state UNKNOWN

link/void

27: veth1010.0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue state UNKNOWN

link/ether 00:18:51:c9:60:cc brd ff:ff:ff:ff:ff:ff
inet6 fe80::218:51ff:fec9:60cc/64 scope link
valid_lft forever preferred_lft forever

15:03:35.498570 ARP, Request who-has 109.72.xxx.70 tell 109.72.xxx.1, length 46

Posted by [gralex](#) on Wed, 30 Mar 2011 08:22:03 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
# sysctl -a | grep proxy_arp
```
