

---

Posted by [joub](#) on Mon, 04 Apr 2011 11:32:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

/etc/sysctl.conf

net.ipv4.conf.default.forwarding=1

kernel.sysrq = 0

net.ipv4.conf.default.rp\_filter=1

net.ipv4.tcp\_syncookies=1

---

---

Posted by [sHaggY\\_caT](#) on Fri, 15 Apr 2011 16:53:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

---

---

Posted by [koct9i](#) on Fri, 15 Apr 2011 22:03:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

net.ipv4.ip\_forward ?

iptables -F

---

---

---

Posted by [joub](#) on Sun, 17 Apr 2011 12:45:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

---

---

Posted by [sHaggY\\_caT](#) on Sun, 17 Apr 2011 13:21:22 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

joub wrote on Sun, 17 April 2011 08:451.

---

---

Posted by [joub](#) on Sun, 17 Apr 2011 13:51:21 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

sHaggY\_caT wrote on Sun, 17 April 2011 11:21

---

---

Posted by [sHaggY\\_caT](#) on Mon, 18 Apr 2011 12:41:01 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

---

---

Posted by [joub](#) on Mon, 18 Apr 2011 12:58:36 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

version 4.3.5 (Debian 4.3.5-4) ) #1 SMP Tue Mar 8 23:30:33 UTC 2011

Posted by [sHaggY\\_caT](#) on Mon, 18 Apr 2011 19:46:05 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

netstat -atunp

iptables -Ln

---

---

Posted by [joub](#) on Sun, 24 Apr 2011 18:35:12 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

---

---

Posted by [sHaggY\\_caT](#) on Sun, 24 Apr 2011 21:21:34 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

---

---

Posted by [joub](#) on Mon, 25 Apr 2011 05:20:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

---

---

Posted by [sHaggY\\_caT](#) on Mon, 25 Apr 2011 07:54:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Linux ovz07.ha-systems.ru 2.6.18-238.5.1.el5.028stab085.3PAE #1 SMP Mon Mar 21 21:09:23  
MSK 2011 i686 i686 i386 GNU/Linux

#

### section of other settings #####

NUMSIGINFO="1024:1024"

PHYSPAGES="0:2147483647"

NUMFLOCK="120:130"

LOCKEDPAGES="120:130"

NUMPTY="80:80"

NUMIPTENT="200:200"

DISKSPACE="20048576:20048576"

DISKINODES="600000:600000"

QUOTATIME="0"

### other settings #####

# Disk quota parameters (in form of softlimit:hardlimit)

### section of kernel memory settings #####

NUMPROC="960:960"

NUMFILE="30720:30720"

DCACHESIZE="15728640:17301500"

AVNUMPROC="320:320"

KMEMSIZE="30408700:33449570"

NUMOTHERSOCK="960:960"

NUMTCP SOCK="1920:1920"

TCPSNDBUF="9830400:14745600"

TCPRCVBUF="9830400:14745600"

OTHERSOCKBUF="4915200:24576000"

DGRAMRCVBUF="4915200:24576000"

### end kernel memory settings #####

### section of usermode memory settings #####

PRIVVMPAGES="3096576:4644855"

VMGUARPAGES="3096576:2147483647"

OOMGUARPAGES="3096576:2147483647"

SHMPAGES="1548288:1548288"

### end usermode memory settings #####

##### sections of CPU settings #####

CPUUNITS="80000"

CPULIMIT="53"

CPUS="1"

##### end of CPU settings #####

IP\_ADDRESS="46.4.XX.XX"

HOSTNAME="asterisk04.int.ha-systems.ru"

VE\_ROOT="/vz/root/\$VEID"

VE\_PRIVATE="/vz/private/\$VEID"

OSTEMPLATE="centos-5-x86"

ORIGIN\_SAMPLE="vps756M"

NAMESERVER="10.0.XX.XX"

ONBOOT="yes"

DEVICES="c:10:200:rw "

CAPABILITY="NET\_ADMIN:on "

---

Posted by [joub](#) on Mon, 25 Apr 2011 08:17:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Linux version 2.6.32-5-openvz-686 (Debian 2.6.32-31) (ben@decadent.org.uk) (gcc version 4.3.5 (Debian 4.3.5-4) )

Debian Squeeze

---

---

Posted by [sHaggY\\_caT](#) on Mon, 25 Apr 2011 09:24:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

---

---

Posted by [joub](#) on Tue, 26 Apr 2011 06:19:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

---

---

Posted by [sHaggY\\_caT](#) on Tue, 26 Apr 2011 06:46:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

```
[root@ovz07 ~]# sysctl -p
net.ipv4.conf.default.forwarding = 1
net.ipv4.conf.default.proxy_arp = 0
net.ipv4.ip_forward = 1
net.ipv4.conf.all.rp_filter = 1
kernel.sysrq = 1
net.ipv4.conf.default.send_redirects = 1
net.ipv4.conf.all.send_redirects = 0
fs.vsyscall = 1
```

---

---

---

Posted by [joub](#) on Tue, 26 Apr 2011 07:19:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

netstat -atunp

bf2:~# netstat -atunp

Active Internet connections (servers and established)

Proto	Recv-Q	Send-Q	Local Address	Foreign Address	State	PID/Program name
tcp	0	0	0.0.0.0:4711	0.0.0.0:*	LISTEN	3860/bf2
tcp	0	0	127.0.0.1:587	0.0.0.0:*	LISTEN	1054/sendmail: MTA:
tcp	0	0	0.0.0.0:80	0.0.0.0:*	LISTEN	3826/apache2
tcp	0	0	0.0.0.0:22	0.0.0.0:*	LISTEN	363/sshd
tcp	0	0	127.0.0.1:25	0.0.0.0:*	LISTEN	1054/sendmail: MTA:
tcp	0	0	192.168.2.41:22	192.168.2.123:1303	ESTABLISHED	1052/0
tcp	0	0	192.168.2.41:22	192.168.2.123:1372	ESTABLISHED	3868/1



```

tcp6  0  0 :::22          :::*          LISTEN  363/sshd
udp    0  0 0.0.0.0:16567  0.0.0.0:*    3860/bf2
udp    0  0 0.0.0.0:29900  0.0.0.0:*    3860/bf2
udp    0  0 0.0.0.0:55124  0.0.0.0:*    3860/bf2
udp    0  0 0.0.0.0:55125  0.0.0.0:*    3860/bf2
udp6   0  0 :::517         :::*          579/xinetd
udp6   0  0 :::518         :::*          579/xinetd

```

Quote:

```
iptables -Ln
```

```

root@srv08:/etc/init.d# iptables -L -n
Chain INPUT (policy ACCEPT)
target  prot opt source          destination

```

```

Chain FORWARD (policy ACCEPT)
target  prot opt source          destination

```

```

Chain OUTPUT (policy ACCEPT)
target  prot opt source          destination

```

```

bf2:~# iptables -L -n
Chain INPUT (policy ACCEPT)
target  prot opt source          destination

```

```

Chain FORWARD (policy ACCEPT)
target  prot opt source          destination

```

```

Chain OUTPUT (policy ACCEPT)
target  prot opt source          destination

```

Quote:

```
root@srv08:~# nmap -sU -p 16567 192.168.2.41
Starting Nmap 5.00 ( http://nmap.org ) at 2011-04-26 10:15 EEST
Note: Host seems down. If it is really up, but blocking our ping probes, try -PN
Nmap done: 1 IP address (0 hosts up) scanned in 0.29 seconds
```

```
bf2:~# nmap -sU -p 16567 192.168.2.41
```

```
Starting Nmap 4.62 ( http://nmap.org ) at 2011-04-26 11:16 MSD
Interesting ports on bf2 (192.168.2.41):
PORT      STATE      SERVICE
16567/udp open|filtered unknown
```

```
Nmap done: 1 IP address (1 host up) scanned in 2.049 seconds
```

```
srv07:~# nmap -sU -p 16567 192.168.2.41
Starting Nmap 4.62 ( http://nmap.org ) at 2011-04-26 10:19 EEST
Interesting ports on 192.168.2.41:
PORT      STATE      SERVICE
16567/udp open|filtered unknown
MAC Address: 00:25:22:56:B5:EB (Unknown)
Nmap done: 1 IP address (1 host up) scanned in 0.648 seconds
```

---

Posted by [sHaggY\\_caT](#) on Tue, 26 Apr 2011 09:12:05 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

```
root@srv08:~# nmap -sU -p 16567 192.168.2.41
Starting Nmap 5.00 ( http://nmap.org ) at 2011-04-26 10:15 EEST
Note: Host seems down. If it is really up, but blocking our ping probes, try -PN
Nmap done: 1 IP address (0 hosts up) scanned in 0.29 seconds
```

Note: Host seems down. If it is really up, but blocking our ping probes, try -PN

Quote:

```
bf2:~# nmap -sU -p 16567 192.168.2.41
```

```
Starting Nmap 4.62 ( http://nmap.org ) at 2011-04-26 11:16 MSD
Interesting ports on bf2 (192.168.2.41):
PORT      STATE      SERVICE
16567/udp open|filtered unknown
```

```
Nmap done: 1 IP address (1 host up) scanned in 2.049 seconds
```

Quote:

```
srv07:~# nmap -sU -p 16567 192.168.2.41
Starting Nmap 4.62 ( http://nmap.org ) at 2011-04-26 10:19 EEST
Interesting ports on 192.168.2.41:
PORT      STATE      SERVICE
16567/udp open|filtered unknown
MAC Address: 00:25:22:56:B5:EB (Unknown)
Nmap done: 1 IP address (1 host up) scanned in 0.648 seconds
```

---

---

Posted by [joub](#) on Tue, 26 Apr 2011 10:24:30 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

sHaggY\_caT wrote on Tue, 26 April 2011 07:12

```
root@srv08:~# ping 192.168.2.41
```

PING 192.168.2.41 (192.168.2.41) 56(84) bytes of data.  
64 bytes from 192.168.2.41: icmp\_req=1 ttl=64 time=0.031 ms  
64 bytes from 192.168.2.41: icmp\_req=2 ttl=64 time=0.007 ms

Quote:

Quote:

---

---

Posted by [sHaggY\\_caT](#) on Tue, 26 Apr 2011 14:02:03 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Quote:

```
nmap -PN yandex.ru
Nmap scan report for yandex.ru (87.250.251.11)
Host is up (0.0046s latency).
Hostname yandex.ru resolves to 6 IPs. Only scanned 87.250.251.11
Not shown: 998 filtered ports
PORT      STATE SERVICE
80/tcp    open  http
443/tcp   open  https
```

Nmap done: 1 IP address (1 host up) scanned in 5.11 seconds

```
[shaggycat@desktop2 SOURCES]$ man nmap | egrep -e '-PN'
```

Quote:

---

---

Posted by [joub](#) on Tue, 26 Apr 2011 15:55:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

sHaggY\_caT wrote on Tue, 26 April 2011 12:02

```
nmap -PN yandex.ru
```

```
Nmap scan report for yandex.ru (87.250.251.11)
```

```
Host is up (0.0046s latency).
```

```
Hostname yandex.ru resolves to 6 IPs. Only scanned 87.250.251.11
```

```
Not shown: 998 filtered ports
```

```
PORT      STATE SERVICE
```

```
80/tcp    open  http
```

```
443/tcp   open  https
```

```
Nmap done: 1 IP address (1 host up) scanned in 5.11 seconds
```

```
bf2:/usr/local/bf2# tcpdump -i venet0 -vv | grep UDP
tcpdump: WARNING: arptype 65535 not supported by libpcap - falling back to cooked socket
tcpdump: listening on venet0, link-type LINUX_SLL (Linux cooked), capture size 96 bytes
```

```
srv05:~# nmap -sUT -p 53 192.168.2.41
```

```
Starting Nmap 4.62 ( http://nmap.org ) at 2011-04-26 19:05 EEST
Interesting ports on 192.168.2.41:
PORT STATE SERVICE
53/tcp open domain
53/udp open|filtered domain
```

---

Posted by [joub](#) on Tue, 26 Apr 2011 16:27:13 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

```
srv07:~# nmap -sUT 192.168.2.2
```

```
Starting Nmap 4.62 ( http://nmap.org ) at 2011-04-26 19:26 EEST
Interesting ports on srv07.demgroup (192.168.2.2):
Not shown: 3192 closed ports
PORT STATE SERVICE
22/tcp open ssh
80/tcp open http
111/tcp open rpcbind
139/tcp open netbios-ssn
445/tcp open microsoft-ds
2049/tcp open nfs
111/udp open|filtered rpcbind
137/udp open|filtered netbios-ns
138/udp open|filtered netbios-dgm
614/udp open|filtered unknown
2049/udp open|filtered nfs
```

```
srv07:~# netstat -atunp
Active Internet connections (servers and established)
```

Proto	Recv-Q	Send-Q	Local Address	Foreign Address	State	PID/Program name
tcp	0	0	0.0.0.0:44224	0.0.0.0:*	LISTEN	7095/rpc.mountd
tcp	0	0	0.0.0.0:2049	0.0.0.0:*	LISTEN	-
tcp	0	0	0.0.0.0:4711	0.0.0.0:*	LISTEN	7285/bf2
tcp	0	0	127.0.0.1:3306	0.0.0.0:*	LISTEN	2139/mysqld
tcp	0	0	0.0.0.0:111	0.0.0.0:*	LISTEN	1684/portmap
tcp	0	0	0.0.0.0:36784	0.0.0.0:*	LISTEN	1710/rpc.statd
tcp	0	0	127.0.0.1:7634	0.0.0.0:*	LISTEN	2537/hddtemp
tcp	0	0	0.0.0.0:40212	0.0.0.0:*	LISTEN	-
tcp	0	0	0.0.0.0:22	0.0.0.0:*	LISTEN	2062/sshd
tcp	0	0	127.0.0.1:25	0.0.0.0:*	LISTEN	2468/exim4
tcp	0	0	192.168.2.2:22	192.168.2.3:47998	ESTABLISHED	7565/0
tcp6	0	0	:::139	:::*	LISTEN	2623/smbd
tcp6	0	0	:::80	:::*	LISTEN	2715/apache2
tcp6	0	0	:::22	:::*	LISTEN	2062/sshd
tcp6	0	0	:::445	:::*	LISTEN	2623/smbd
udp	0	0	0.0.0.0:2049	0.0.0.0:*	-	-
udp	0	0	192.168.2.2:137	0.0.0.0:*		2621/nmbd
udp	0	0	0.0.0.0:137	0.0.0.0:*		2621/nmbd
udp	0	0	192.168.2.2:138	0.0.0.0:*		2621/nmbd
udp	0	0	0.0.0.0:138	0.0.0.0:*		2621/nmbd
udp	0	0	0.0.0.0:36492	0.0.0.0:*		7095/rpc.mountd
udp	0	0	0.0.0.0:50573	0.0.0.0:*		1710/rpc.statd
udp	0	0	0.0.0.0:16567	0.0.0.0:*		7285/bf2
udp	0	0	0.0.0.0:29900	0.0.0.0:*		7285/bf2
udp	0	0	0.0.0.0:55124	0.0.0.0:*		7285/bf2
udp	0	0	0.0.0.0:55125	0.0.0.0:*		7285/bf2
udp	0	0	0.0.0.0:614	0.0.0.0:*		1710/rpc.statd
udp	0	0	0.0.0.0:111	0.0.0.0:*		1684/portmap
udp	0	0	0.0.0.0:56306	0.0.0.0:*	-	-

---

Posted by [sHaggY\\_caT](#) on Tue, 26 Apr 2011 17:32:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

---



---

Posted by [joub](#) on Tue, 26 Apr 2011 19:46:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

---

---

Posted by [sHaggY\\_caT](#) on Tue, 26 Apr 2011 20:23:28 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

---

---

Posted by [joub](#) on Wed, 27 Apr 2011 05:33:36 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---



---

---

Posted by [sHaggY\\_caT](#) on Wed, 27 Apr 2011 06:58:30 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

---

---

Posted by [joub](#) on Wed, 27 Apr 2011 07:54:35 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

---

---

Posted by [sHaggY\\_caT](#) on Wed, 27 Apr 2011 08:27:44 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

joub wrote on Wed, 27 April 2011 03:54

<http://wiki.openvz.org/Veth>

joub wrote on Wed, 27 April 2011 03:54

---

---

Posted by [joub](#) on Wed, 27 Apr 2011 12:29:34 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

sHaggY\_caT wrote on Wed, 27 April 2011 06:27

<http://wiki.openvz.org/Veth>

C:\Users\us>ping 192.168.2.42 -t

Quote:

---

---

Posted by [sHaggY\\_caT](#) on Wed, 27 Apr 2011 17:27:05 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---