
Posted by [foror](#) on Tue, 07 Jun 2011 14:06:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [kir](#) on Tue, 14 Jun 2011 09:24:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [Sadist](#) on Fri, 16 Sep 2011 21:05:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [amaxcz](#) on Mon, 19 Sep 2011 13:21:03 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [Sadist](#) on Mon, 19 Sep 2011 13:44:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [raver119](#) on Mon, 19 Sep 2011 18:21:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [Sadist](#) on Mon, 19 Sep 2011 18:46:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

config-2.6.32-042stab037.1.x86_64

[0.000000] Linux version 2.6.32-042stab037.1 (root@build-1) (gcc version 4.4.5 (Debian 4.4.5-8)) #1 SMP Sun Sep 18 02:32:16 MSD 2011

-rw-r--r-- 1 root root 31492278 Sep 18 04:54 linux-image-2.6.32-042stab037.1_1_amd64.deb

Posted by [raver119](#) on Mon, 19 Sep 2011 19:12:47 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [Sadist](#) on Mon, 19 Sep 2011 19:18:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
root@squeeze-build-amd64:~# grep CPULIMIT /etc/vz/conf/100.conf
CPULIMIT="30"
root@squeeze-build-amd64:~# vzctl enter 100
entered into CT 100
root@squeeze-601-i386-minimal:~# grep MHz /proc/cpuinfo
cpu MHz : 496.419
root@squeeze-601-i386-minimal:~# free -m
```

	total	used	free	shared	buffers	cached
Mem:	256	14	241	0	0	10
-/+ buffers/cache:		3	252			
Swap:	128	0	128			

Posted by [raver119](#) on Mon, 19 Sep 2011 19:20:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

Free - 252M, cached - 10M.

Posted by [Sadist](#) on Mon, 19 Sep 2011 19:28:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [raver119](#) on Mon, 19 Sep 2011 19:29:53 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [Sadist](#) on Mon, 19 Sep 2011 19:39:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
root@squeeze-build-amd64:~/aoe6-77# modinfo aoe
filename:      /lib/modules/2.6.18-238.19.1.el5.028stab092.2/kernel/drivers/block/aoe/aoe.ko
description:   AoE block/char driver for 2.6.2 and newer 2.6 kernels
author:        Sam Hopkins <sah@coraid.com>
license:       GPL
srcversion:    4F4C5E33212EB40757BDE23
depends:
vermagic:      2.6.18-238.19.1.el5.028stab092.2 SMP mod_unload gcc-4.4
parm:          aoe_iflist:aoe_iflist=dev1[,dev2...]
(string)
parm:          version:aoe module version 77
(string)
```

parm: aoe_dyndevs:Use dynamic minor numbers for devices. (int)
parm: aoe_deadsecs:After aoe_deadsecs seconds, give up and fail dev. (int)
parm: aoe_maxout:Only aoe_maxout outstanding packets for every MAC on eX.Y. (int)
parm: aoe_maxsectors:When nonzero, set the maximum number of sectors per I/O request in new devices. (int)

```
root@squeeze-build-amd64:~/aoe6-77# lsmod |grep aoe
aoe                90528  0
```

ii linux-headers-2.6.18-238.19.1.el5.028stab092.2 2 Header files related to
Linux kernel, specifically,

Posted by [raver119](#) on Mon, 19 Sep 2011 20:04:53 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [raver119](#) on Wed, 21 Sep 2011 00:43:16 GMT
[View Forum Message](#) <> [Reply to Message](#)
