
Subject: VPN Routing from CT

Posted by [bigmyx](#) on Tue, 09 Aug 2011 06:46:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

I am trying to make OpenVPN tunnel accessible for all OVZ CT's running on the host.

I have initialized the tunnel device on the host server to remote VPN server.

Although I have PING response from the remote tunnel end-point on the host, I do not have it from inside the container.

Can anyone point me on the routing configuration that I need to perform in order to have the remote VPN server accessible from inside the OpenVPN containers ?

Here is my configuration:

```
iptables -t nat -L && iptables -t filter -L && iptables -t mangle -L
```

Chain PREROUTING (policy ACCEPT)

target prot opt source destination

Chain POSTROUTING (policy ACCEPT)

target prot opt source destination

Chain OUTPUT (policy ACCEPT)

target prot opt source destination

Chain INPUT (policy ACCEPT)

target prot opt source destination

Chain FORWARD (policy ACCEPT)

target prot opt source destination

Chain OUTPUT (policy ACCEPT)

target prot opt source destination

Chain PREROUTING (policy ACCEPT)

target prot opt source destination

Chain INPUT (policy ACCEPT)

target prot opt source destination

Chain FORWARD (policy ACCEPT)

target prot opt source destination

Chain OUTPUT (policy ACCEPT)

target prot opt source destination

Chain POSTROUTING (policy ACCEPT)

target prot opt source destination

```
netstat -nr
```

Kernel IP routing table

Destination	Gateway	Genmask	Flags	MSS	Window	irtt	Iface
0.0.0.0	172.16.172.1	255.255.255.255	UGH	0	0	0	tun0
95.211.87.106	0.0.0.0	255.255.255.255	UH	0	0	0	venet0
95.211.96.45	0.0.0.0	255.255.255.255	UH	0	0	0	venet0
95.211.96.46	0.0.0.0	255.255.255.255	UH	0	0	0	venet0
95.211.96.47	0.0.0.0	255.255.255.255	UH	0	0	0	venet0
95.211.87.104	0.0.0.0	255.255.255.255	UH	0	0	0	venet0
95.211.87.113	0.0.0.0	255.255.255.255	UH	0	0	0	venet0
95.211.96.48	0.0.0.0	255.255.255.255	UH	0	0	0	venet0
95.211.96.33	0.0.0.0	255.255.255.255	UH	0	0	0	veth104.0
95.211.96.34	0.0.0.0	255.255.255.255	UH	0	0	0	venet0
95.211.87.101	0.0.0.0	255.255.255.255	UH	0	0	0	venet0
95.211.87.64	0.0.0.0	255.255.255.192	U	0	0	0	eth0
172.16.172.0	0.0.0.0	255.255.255.0	U	0	0	0	tun0
10.11.0.0	172.16.172.1	255.255.0.0	UG	0	0	0	tun0
172.16.0.0	172.16.172.1	255.255.0.0	UG	0	0	0	tun0
169.254.0.0	0.0.0.0	255.255.0.0	U	0	0	0	eth0
0.0.0.0	95.211.87.126	0.0.0.0	UG	0	0	0	eth0

/etc/sysctl.conf

```
net.ipv4.conf.default.rp_filter = 1
net.ipv4.conf.default.accept_source_route = 0
kernel.sysrq = 0
kernel.core_uses_pid = 1
net.ipv4.tcp_syncookies = 1
kernel.msgmnb = 65536
kernel.msgmax = 65536
kernel.shmmax = 68719476736
kernel.shmall = 4294967296
net.ipv4.ip_forward = 1
net.ipv6.conf.default.forwarding = 1
net.ipv6.conf.all.forwarding = 1
net.ipv4.conf.default.proxy_arp = 0
net.ipv4.conf.eth0.forwarding = 1
net.ipv4.conf.veth101.0.forwarding = 1
net.ipv4.conf.all.rp_filter = 1
kernel.sysrq = 1
net.ipv4.conf.default.send_redirects = 1
net.ipv4.conf.all.send_redirects = 0
```

172.16.0.0 is the target remote network that I want to get access to from CT's and its is currently unreachable.

Thanks !
