Subject: Hide ppp0 behind virtual ethernet device -- Is this possible ? Posted by mikolaj on Fri, 12 Aug 2011 09:49:31 GMT View Forum Message <> Reply to Message

Hello.

I am using fedora 15 with gnome 3, whose network manager doesn't handle dsl connections. I have working internet connection, though some programs, which ask network manager if there is any connection to the internet, fail to work since my connection is not detected.

Is there any way to setup virtual ethernet device, in such a way that all traffic directed to it will be routed to ppp0 and also all traffic coming to ppp0 will be send to this virtual device ? This way I the virtual ethernet device would appear (I hope) to network manager as ordinary 'cable' connection.

Subject: RE: Hide ppp0 behind virtual ethernet device -- Is this possible ? Posted by Esm on Fri, 12 Aug 2011 12:05:49 GMT View Forum Message <> Reply to Message

Hi Mikolaj,

Do you have your ppp0 connection on your hardware-node? Maybe you could make a bridge and a veth device, so you'll be having an eth in your VPS which will be detected by your network manager? Look for more information at: http://wiki.openvz.org/Virtual\_Ethernet\_device

I hope it helped you.

Esmé

-----Oorspronkelijk bericht-----Van: users-bounces@openvz.org [mailto:users-bounces@openvz.org] Namens mikolaj Verzonden: vrijdag 12 augustus 2011 11:50 Aan: OpenVZ mailing list Onderwerp: [Users] Hide ppp0 behind virtual ethernet device -- Is this possible ?

Hello.

I am using fedora 15 with gnome 3, whose network manager doesn't handle dsl connections. I have working internet connection, though some programs, which ask network manager if there is any connection to the internet, fail to work since my connection is not detected.

Is there any way to setup virtual ethernet device, in such a way that all traffic directed to it will be routed to ppp0 and also all traffic coming to ppp0 will be send to this virtual device ? This way I the virtual ethernet device would appear (I hope) to network manager as ordinary 'cable' connection.

Subject: Re: Hide ppp0 behind virtual ethernet device -- Is this possible ? Posted by mikolaj on Mon, 15 Aug 2011 19:12:57 GMT View Forum Message <> Reply to Message

On 08/12/2011 02:05 PM, Esmé de Wolf wrote: > Hi Mikolaj,

>

- > Do you have your ppp0 connection on your hardware-node? Maybe you could make
- > a bridge and a veth device, so you'll be having an eth in your VPS which
- > will be detected by your network manager?
- > Look for more information at: http://wiki.openvz.org/Virtual\_Ethernet\_device

>

> I hope it helped you.

>

- > Esmé
- >
- >
- > -----Oorspronkelijk bericht-----
- > Van: users-bounces@openvz.org [mailto:users-bounces@openvz.org] Namens

> mikolaj

- > Verzonden: vrijdag 12 augustus 2011 11:50
- > Aan: OpenVZ mailing list
- > Onderwerp: [Users] Hide ppp0 behind virtual ethernet device -- Is this

> possible ?

>

> Hello.

>

- > I am using fedora 15 with gnome 3, whose network manager doesn't handle dsl
- > connections. I have working internet connection, though some programs, which
- > ask network manager if there is any connection to the internet, fail to work

> since my connection is not detected.

>

- > Is there any way to setup virtual ethernet device, in such a way that all
- > traffic directed to it will be routed to ppp0 and also all traffic coming to
- > ppp0 will be send to this virtual device ? This way I the virtual ethernet
- > device would appear ( I hope ) to network manager as ordinary 'cable'

> connection.

- >
- >
- >

> Thank you for your advice.I will try to create the setup you advised.

Mikolaj.

>

Page 3 of 3 ---- Generated from OpenVZ Forum