

---

Subject: Re: VE with veth, using MAC address it shouldn't be aware of  
Posted by [samlt](#) on Tue, 06 Feb 2007 11:44:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

No NAT in VE0, but I did set a route to 10.4.0/24 in the linksys.(going through 10.3.0.50)  
I fail to see why it would be important (except that I would have any "echo reply" ) The VE is using  
(at least that's what I understand looking at tcpdump output) the VE0 eth0 MAC address, and the  
linksys MAC address.

I know the VE is "sharing/using" (?) the same kernel as VE0, so this is probably normal, but if it is,  
why, in the VE, does ip n I only give veth103.0 MAC address? In short what would be the use of  
this "neighbour table" if it isn't used

The fact is, that, on the other way (line 6 in the sorted tcpdump output, first post), the mac  
addresses are "correct" :

6) 10:02:24.542633 00:18:51:b4:a6:85 (oui Unknown) > 00:18:51:ce:18:98 (oui Unknown),  
ethertype IPv4 (0x0800), length 98: linksys > debnated: ICMP echo reply, id 56597, seq 1, length  
64 == on veth103.0 where 00:18:51:b4:a6:85 is veth103.0 MAC address, and 00:18:51:ce:18:98  
is the VE eth0 MAC address.

I going to test the last openvz kernel asap, tonight if I can.

---