
Subject: [PATCH 1/4] namespaces: make get_nsproxy nonstatic

Posted by [serue](#) on Mon, 19 Feb 2007 22:15:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

From: Serge E. Hallyn <serue@us.ibm.com>

Subject: [PATCH 1/4] namespaces: make get_nsproxy nonstatic

We'll need get_nsproxy accessible from containers code, but it is statically defined in kernel/nsproxy.c. Make it inline in include/linux/nsproxy.h.

Signed-off-by: Serge E. Hallyn <serue@us.ibm.com>

include/linux/nsproxy.h | 5 +++++
kernel/nsproxy.c | 5 ----
2 files changed, 5 insertions(+), 5 deletions(-)

ad2cf2568b8fe9cf094905ec7370149baafc6495
diff --git a/include/linux/nsproxy.h b/include/linux/nsproxy.h
index c55f20b..0255e27 100644

--- a/include/linux/nsproxy.h
+++ b/include/linux/nsproxy.h
@@ -31,6 +31,11 @@ struct nsproxy {
};
extern struct nsproxy init_nsproxy;

+static inline void get_nsproxy(struct nsproxy *ns)
+{
+ atomic_inc(&ns->count);
+}
+
+ struct nsproxy *dup_namespaces(struct nsproxy *orig);
+ int copy_namespaces(int flags, struct task_struct *tsk);
+ void get_task_namespaces(struct task_struct *tsk);
diff --git a/kernel/nsproxy.c b/kernel/nsproxy.c
index d174d1f..1123ab2 100644
--- a/kernel/nsproxy.c
+++ b/kernel/nsproxy.c
@@ -23,11 +23,6 @@

struct nsproxy init_nsproxy = INIT_NSProxy(init_nsproxy);

-static inline void get_nsproxy(struct nsproxy *ns)
-
- {
- atomic_inc(&ns->count);
- }
-

```
-  
void get_task_namespaces(struct task_struct *tsk)  
{  
    struct nsproxy *ns = tsk->nsproxy;  
--
```

1.1.6
