Subject: [PATCH] possible deadlock in tulip driver
Posted by den on Tue, 24 Jul 2007 07:49:08 GMT
View Forum Message <> Reply to Message

Calling flush_scheduled_work() may deadlock if called under rtnl_lock
(from dev->stop) as linkwatch_event() may be on the workqueue and it will try
to get the rtnl_lock

Signed-off-by: Denis V. Lunev <den@openvz.org>
---

 tulip_core.c | 4 ++--
 1 file changed, 2 insertions(+), 2 deletions(-)

--- ./drivers/net/tulip/tulip_core.c.tulip 2007-07-16 12:54:29.000000000 +0400
+++ ./drivers/net/tulip/tulip_core.c 2007-07-23 19:06:24.000000000 +0400
@@ -726,8 +726,6 @@ static void tulip_down (struct net_devic
  void __iomem *ioaddr = tp->base_addr;
  unsigned long flags;

- flush_scheduled_work();
-
  del_timer_sync (&tp->timer);
 #ifdef CONFIG_TULIP_NAPI
  del_timer_sync (&tp->oom_timer);
@@ -1788,6 +1786,8 @@ static void __devexit tulip_remove_one (
  if (!dev)
   return;

+ flush_scheduled_work();
+
  tp = netdev_priv(dev);
  unregister_netdev(dev);
  pci_free_consistent (pdev,