
Subject: Re: Dedicating physical NIC ports to each VE without bridging, etc.
Posted by [dranch](#) on Fri, 17 Aug 2007 21:12:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

Ok, so after rebooting the machine, I did the following:

VE#0:

```
/sbin/ifconfig eth1 0 #UPs the int and removes any IPv4 addr
/sbin/ifconfig eth2 0
/sbin/ifconfig eth3 0
/usr/sbin/vzctl set 100 --netdev_add eth1 --save
/usr/sbin/vzctl set 101 --netdev_add eth2 --save
/usr/sbin/vzctl set 102 --netdev_add eth3 --save
```

```
/usr/sbin/vzctl start 100
```

When I start VE#100, I now see VE#0's eth1 disappear and I can now "ifconfig eth1 up" in VE#100 as hoped! Woohoo... excellent news and it seems to work from initiate testing. This helps remove any MTU / VLAN tagging / etc. issues I might have seen if I had to deal with bridging virtual to physical interfaces.

Now, the issue of not supporting "eth0" in the VEs is unfortunate. Linux always enumerates from 0 so not having eth0 but say eth2 in a VE is both a change in behavior as well as just confusing to me and I'm sure to my developers as well. I'd love to see the ability to rename VE interfaces if possible.

--David
