Subject: *SOLVED* apache2: access denied
Posted by ggonzalez on Tue, 04 Sep 2007 19:31:02 GMT
View Forum Message <> Reply to Message

Hi,

I have been struggling with the following problem for a couple of days. I have run out of ideas to solve it.

Here is the situation:

I have a VE configured with veth interface, with apache2 freshly installed. infrahn01 is the HN and infravs01 is the VE.

root@infravs01:~# uname -a
Linux infravs01.integra.com.py 2.6.18-ovz028stab039.1-enterprise #1 SMP Tue Jul 24 12:28:02 MSD 2007 i686 GNU/Linux

root@infravs01:~# dpkg -l|grep apache
ii apache2-mpm-prefork 2.2.3-4+etch1 Traditional model for Apache HTTPD 2.1
ii apache2-utils 2.2.3-4+etch1 utility programs for webservers
ii apache2.2-common 2.2.3-4+etch1 Next generation, scalable, extendable web se
ii libapache2-mod-php4 4.4.4-8+etch3 server-side, HTML-embedded scripting languag

root@infravs01:~# ip a l
1: lo: <LOOPBACK,UP,10000> mtu 16436 qdisc noqueue
link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
inet 127.0.0.1/8 scope host lo
inet6 ::1/128 scope host
valid_lft forever preferred_lft forever
3: venet0: <BROADCAST,POINTOPOINT,NOARP> mtu 1500 qdisc noop
link/void
5: eth0: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc noqueue
link/ether 00:0c:29:19:45:6d brd ff:ff:ff:ff:ff:ff
inet 10.0.0.241/32 scope global eth0

root@infravs01:~# ip r l
default dev eth0 scope link

root@infravs01:~# iptables -L

```
Chain INPUT (policy ACCEPT)
target     prot opt source               destination

Chain FORWARD (policy ACCEPT)
target     prot opt source               destination

Chain OUTPUT (policy ACCEPT)
target     prot opt source               destination
root@infravs01:~# iptables -t nat -L
Chain PREROUTING (policy ACCEPT)
target     prot opt source               destination

Chain POSTROUTING (policy ACCEPT)
target     prot opt source               destination

Chain OUTPUT (policy ACCEPT)
target     prot opt source               destination



infrahn01:~# ip a l
2: lo: <LOOPBACK,UP,10000> mtu 16436 qdisc noqueue
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
    inet6 ::1/128 scope host
       valid_lft forever preferred_lft forever
4: sit0: <NOARP> mtu 1480 qdisc noop
    link/sit 0.0.0.0 brd 0.0.0.0
6: eth0: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc pfifo_fast qlen 1000
    link/ether 00:50:8d:83:09:35 brd ff:ff:ff:ff:ff:ff
    inet 10.0.0.231/24 brd 10.0.0.255 scope global eth0
    inet6 fe80::250:8dff:fe83:935/64 scope link
       valid_lft forever preferred_lft forever
8: eth1: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc pfifo_fast qlen 1000
    link/ether 00:06:4f:4a:37:e8 brd ff:ff:ff:ff:ff:ff
    inet 192.168.254.1/24 brd 192.168.254.255 scope global eth1
    inet6 fe80::206:4fff:fe4a:37e8/64 scope link
       valid_lft forever preferred_lft forever
7: venet0: <BROADCAST,POINTOPOINT,NOARP,UP,10000> mtu 1500 qdisc noqueue
    link/void
9: veth101.0: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc noqueue
    link/ether 00:0c:29:19:45:6c brd ff:ff:ff:ff:ff:ff
    inet6 fe80::20c:29ff:fe19:456c/64 scope link
       valid_lft forever preferred_lft forever



infrahn01:~# ip r l
```

```
10.0.0.241 dev veth101.0  scope link
10.0.0.0/24 dev eth0  proto kernel  scope link  src 10.0.0.231
192.168.254.0/24 dev eth1  proto kernel  scope link  src 192.168.254.1
default via 10.0.0.203 dev eth0
```

```
infrahn01:~# iptables -L
Chain INPUT (policy ACCEPT)
target     prot opt source               destination

Chain FORWARD (policy ACCEPT)
target     prot opt source               destination

Chain OUTPUT (policy ACCEPT)
target     prot opt source               destination
```

```
infrahn01:~# iptables -t nat -L
Chain PREROUTING (policy ACCEPT)
target     prot opt source               destination

Chain POSTROUTING (policy ACCEPT)
target     prot opt source               destination

Chain OUTPUT (policy ACCEPT)
target     prot opt source               destination
```

I can successfully ping and resolve names to my network's hosts, both way.

```
root@infravs01:~# netstat -a|grep www
tcp6       0      0 *:www                   *:*                     LISTEN
```

My apache2 configurations are the standard one after installation, plus the following:

```
root@infravs01:~# more /etc/apache2/conf.d/gosa.conf
# Configuration for GOsa using php4.

# Set alias to gosa
Alias /gosa /usr/share/gosa/html
<Directory /usr/share/gosa/html>
```

```
 Order Deny,Allow
 Deny from all
 Allow from all
</Directory>
```

All directories and files pointed to by these configurations are owned by root:root, and have these permissions:

```
root@infravs01:~# ls -al /var/www
drwxr-xr-x  3 root root 1024 2007-08-31 15:35 .
drwxr-xr-x 14 root root 1024 2007-08-31 15:35 ..
drwxr-xr-x  2 root root 1024 2007-08-31 15:35 apache2-default
root@infravs01:~# ls -al /var/www/apache2-default/
drwxr-xr-x 2 root root 1024 2007-08-31 15:35 .
drwxr-xr-x 3 root root 1024 2007-08-31 15:35 ..
-rw-r--r-- 1 root root 2205 2005-12-14 13:25 apache_pb22_ani.gif
-rw-r--r-- 1 root root 2410 2005-12-14 13:25 apache_pb22.gif
-rw-r--r-- 1 root root 1502 2005-12-14 13:25 apache_pb22.png
-rw-r--r-- 1 root root 2326 2004-11-20 17:16 apache_pb.gif
-rw-r--r-- 1 root root 1385 2004-11-20 17:16 apache_pb.png
-rw-r--r-- 1 root root   44 2004-11-20 17:16 index.html
root@infravs01:~# l /usr/share/gosa/
drwxr-xr-x 2 root root 1024 2007-08-31 15:35 bin
drwxr-xr-x 3 root root 1024 2007-08-31 15:35 doc
drwxr-xr-x 5 root root 1024 2007-08-31 15:35 html
drwxr-xr-x 3 root root 1024 2007-08-31 15:35 ihtml
drwxr-xr-x 3 root root 3072 2007-08-31 15:35 include
drwxr-xr-x 9 root root 1024 2007-08-31 15:35 locale
drwxr-xr-x 8 root root 1024 2007-08-31 15:35 plugins
```

From another machine in the network, I point my mozilla browser to:

http://infravs01.integra.com.py/

and i get:

Forbidden

You don't have permission to access / on this server.
Apache/2.2.3 (Debian) PHP/4.4.4-8+etch3 mod_ssl/2.2.3 OpenSSL/0.9.8c Server at infravs01.integra.com.py Port 80

The /var/log/apache2/error.log shows:

```
[Tue Sep 04 15:05:21 2007] [error] [client 10.0.0.220] (13)Permission denied: access to /doc/ denied
[Tue Sep 04 15:12:35 2007] [error] [client 10.0.0.220] (13)Permission denied: access to / denied
```

I installed this same version of apache2 in a VMware virtual server. The same apache2.conf and others .conf. Same permissions, etc. And it works. So my guess is that there is something in VZ or my VZ configuration precluding apache2 from working.

I would greatly appreciate any help.

Best regards,
Gustavo.