
Subject: Re: [RFC][PATCH] Add child reaper to struct pspace
Posted by [ebiederm](#) on Thu, 07 Sep 2006 20:02:59 GMT
[View Forum Message](#) <> [Reply to Message](#)

Sukadev Bhattiprolu <sukadev@us.ibm.com> writes:

```
> Cedric Le Goater [clg@fr.ibm.com] wrote:
> |
> | <snip>
> |
> | > */
> | > static void
> | > forget_original_parent(struct task_struct *father, struct list_head
> | > *to_release)
> | > @@ -669,7 +670,7 @@ forget_original_parent(struct task_struct
> | > do {
> | >     reaper = next_thread(reaper);
> | >     if (reaper == father) {
> | > -     reaper = child_reaper;
> | > +     reaper = father->pspace->child_reaper;
> | >     break;
> | > }
> | > } while (reaper->exit_state);
> | > @@ -857,7 +858,7 @@ fastcall NORET_TYPE void do_exit(long co
> |
> | what about killing all the task in that pid space if child_reaper == init
> | dies ?
> |
>
> We probably need that for instance when a process in the parent pspace
> kills the init of a child pspace, we should destroy the child pspace
> by killing all the tasks in the child pspace including the child reaper.
>
> I guess we need to maintain a list of task_structs in the pspace and walk
> that list. Will work on that as a separate patch.
```

Yes. We all so need something like that list to support kill -1.
Although walking the list of all processes may be sufficient for a first
pass.

The real trick is handing nested pid namespaces, properly.

Eric

Containers mailing list
Containers@lists.osdl.org
<https://lists.osdl.org/mailman/listinfo/containers>
