

---

Subject: [RFC] [PATCH 3/4] uid\_ns: replace i\_uid check in fs/namespace.c  
Posted by [serue](#) on Tue, 07 Nov 2006 04:20:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Replace a inode->i\_uid==current->fsuid check in fs/namespace.c with the inode\_task\_same\_uid helper, which will eventually be checking uid namespaces.

Signed-off-by: Serge E. Hallyn <[serue@us.ibm.com](mailto:serue@us.ibm.com)>

---

fs/namespace.c | 2 +-  
1 files changed, 1 insertions(+), 1 deletions(-)

```
bccafb526d224ae0c82c3370c0056eef5686bb4a
diff --git a/fs/namespace.c b/fs/namespace.c
index ec1a255..e199769 100644
--- a/fs/namespace.c
+++ b/fs/namespace.c
@@ -697,7 +697,7 @@ static int mount_is_safe(struct nameidat
     if (S_ISLNK(nd->dentry->d_inode->i_mode))
         return -EPERM;
     if (nd->dentry->d_inode->i_mode & S_ISVTX) {
-    if (current->uid != nd->dentry->d_inode->i_uid)
+    if (!inode_task_same_uid(nd->dentry->d_inode, current))
         return -EPERM;
     }
 }
/*
```

--

1.1.6

---

Containers mailing list  
[Containers@lists.osdl.org](mailto:Containers@lists.osdl.org)  
<https://lists.osdl.org/mailman/listinfo/containers>

---