
Subject: [patch 02/20] [Network namespace] Delete unused destroy variable

Posted by [Daniel Lezcano](#) on Sun, 10 Dec 2006 21:58:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

Signed-off-by: Daniel Lezcano <dlezcano@fr.ibm.com>

net/ipv4/fib_hash.c | 7 +-----
1 files changed, 1 insertion(+), 6 deletions(-)

Index: 2.6.19-rc6-mm2/net/ipv4/fib_hash.c

=====

--- 2.6.19-rc6-mm2.orig/net/ipv4/fib_hash.c

+++ 2.6.19-rc6-mm2/net/ipv4/fib_hash.c

@@ -621,11 +621,6 @@ static int fn_flush_list(struct fn_zone

struct hlist_node *node, *n;

struct fib_node *f;

int found = 0;

ifndef CONFIG_NET_NS

- const int destroy = 0;

else

- const int destroy = current_net_ns->destroying;

endif

hlist_for_each_entry_safe(f, node, n, head, fn_hash) {

struct fib_alias *fa, *fa_node;

@@ -637,7 +632,7 @@ static int fn_flush_list(struct fn_zone

if (fi == NULL)

continue;

- if (destroy || (fi->fib_flags&RTNH_F_DEAD)) {

+ if ((fi->fib_flags&RTNH_F_DEAD)) {

write_lock_bh(&fib_hash_lock);

list_del(&fa->fa_list);

if (list_empty(&f->fn_alias)) {

--

Containers mailing list

Containers@lists.osdl.org

<https://lists.osdl.org/mailman/listinfo/containers>
