
Subject: Re: Processes with multiple pid_t values
Posted by [serue](#) on Tue, 12 Dec 2006 16:04:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

Quoting Eric W. Biederman (ebiederm@xmission.com):

> Sukadev Bhattiprolu <sukadev@us.ibm.com> writes:

>
> > A process that unshares its namespace gets a new pid_t in the child
> > namespace. Similarly its process group and session leaders get new pid_ts
> > in the child namespace right ?

> >
> > i.e do the following pid_ts look reasonable when process 1234 unshares
> > its pid namespace ?

> >

> >

> > PID PPID PGID SID

> >

> > init pid ns 1234 1233 1230 1220

> >

> > child pid ns 3 2 1 0

>

> A slightly more complete answer.

>

> A pid that cannot be represented in the current pid namespace should be
> 0.

>

> pid 1 is very special and in the case of a clone should definitely
> be the first pid in the namespace.

>

> In the case of an unshare pid == 1 is probably the process that does
> the unshare, and it's children all show up in the child namespace.

Sigh, here we go back again to the question of what to do in the case
of a lightweight container which doesn't have a /sbin/init. Let's say
I do

```
spawn_container(fork_and_exit(sleep 30m));
```

so pid 1 forks, pid 2 sleeps 30 minutes, but pid 1 exits right after
the fork. What do we do? Create an idle pid 1? Tack a struct pid
to the parent namespaces' pid=1 making it pid=1 for the child namespace?

-serge

Containers mailing list
Containers@lists.osdl.org
<https://lists.osdl.org/mailman/listinfo/containers>
