

---

Subject: Re: semantics for namespace naming  
Posted by [Herbert Poetzl](#) on Wed, 13 Dec 2006 21:47:40 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

On Wed, Dec 13, 2006 at 10:36:33AM -0800, Dave Hansen wrote:

> On Wed, 2006-12-13 at 08:35 -0600, Serge E. Hallyn wrote:

> >

```
> > struct container {  
> >     struct container *parent;  
> >     char *name;  
> >     struct nsproxy *nsproxy;  
> >     struct list_head children;  
> > };  
> > struct nsproxy {  
> >     ...  
> >     struct container *container;  
> > };
```

>

> Why does a container need a pointer to an nsproxy? I think I missed  
> that. Is that the "default" set of namespaces for tasks in that  
> container?

IMHO it is mainly required to `_enter_` the container  
in some controlled way (at least that is what we  
use the nsproxy reference for)

best,  
Herbert

> -- Dave

>

> \_\_\_\_\_

> Containers mailing list  
> Containers@lists.osdl.org  
> <https://lists.osdl.org/mailman/listinfo/containers>

---

Containers mailing list  
Containers@lists.osdl.org  
<https://lists.osdl.org/mailman/listinfo/containers>

---