
Subject: Re: [PATCH] attach_pid() with struct pid parameter

Posted by [serue](#) on Thu, 11 Jan 2007 15:46:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

Could you also add a comment above both find_attach_pid() and attach_pid() saying they are always called with the tasklist_lock write-held? Keeps each patch reader from having to go verify that...

thanks,
-serge

Quoting Sukadev Bhattiprolu (sukadev@us.ibm.com):

```
>
> From: Sukadev Bhattiprolu <sukadev@us.ibm.com>
>
> Implement a new version of attach_pid() with a struct pid parameter and
> wrap find_attach_pid() around it. attach_pid() would also be used in
> subsequent container patches.
>
> Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>
> Cc: Cedric Le Goater <clg@fr.ibm.com>
> Cc: Dave Hansen <haveblue@us.ibm.com>
> Cc: Serge Hallyn <serue@us.ibm.com>
> Cc: containers@lists.osdl.org
> ---
> include/linux/pid.h | 28 ++++++-----
> kernel/pid.c        | 7 +----
> 2 files changed, 20 insertions(+), 15 deletions(-)
>
> Index: lx26-20-rc2-mm1/include/linux/pid.h
> =====
> --- lx26-20-rc2-mm1.orig/include/linux/pid.h 2007-01-11 04:44:06.674046656 -0800
> +++ lx26-20-rc2-mm1/include/linux/pid.h 2007-01-11 04:44:56.820423248 -0800
> @@ -72,17 +72,6 @@ extern struct task_struct *FASTCALL(get_
> extern struct pid *get_task_pid(struct task_struct *task, enum pid_type type);
>
> /*
> - * find_attach_pid() and detach_pid() must be called with the tasklist_lock
> - * write-held.
> - */
> -extern int FASTCALL(find_attach_pid(struct task_struct *task,
> -   enum pid_type type, int nr));
> -
> -extern void FASTCALL(detach_pid(struct task_struct *task, enum pid_type));
> -extern void FASTCALL(transfer_pid(struct task_struct *old,
> -   struct task_struct *new, enum pid_type));
> -
```

```

> -/*
>  * look up a PID in the hash table. Must be called with the tasklist_lock
>  * or rcu_read_lock() held.
>  */
> @@ -94,6 +83,23 @@ extern struct pid *FASTCALL(find_pid(int
> extern struct pid *find_get_pid(int nr);
> extern struct pid *find_ge_pid(int nr);
>
> +/*
> + * attach_pid(), find_attach_pid() and detach_pid() must be called with the
> + * tasklist_lock write-held.
> + */
> +extern int FASTCALL(attach_pid(struct task_struct *task, enum pid_type type,
> + struct pid *pid));
> +
> +static inline int find_attach_pid(struct task_struct *task, enum pid_type type,
> + int nr)
> +{
> + return attach_pid(task, type, find_pid(nr));
> +}
> +
> +extern void FASTCALL(detach_pid(struct task_struct *task, enum pid_type));
> +extern void FASTCALL(transfer_pid(struct task_struct *old,
> + struct task_struct *new, enum pid_type));
> +
> extern struct pid *alloc_pid(void);
> extern void FASTCALL(free_pid(struct pid *pid));
>
> Index: lx26-20-rc2-mm1/kernel/pid.c
> =====
> --- lx26-20-rc2-mm1.orig/kernel/pid.c 2007-01-11 04:44:06.674046656 -0800
> +++ lx26-20-rc2-mm1/kernel/pid.c 2007-01-11 04:44:56.821423096 -0800
> @@ -247,14 +247,13 @@ struct pid * fastcall find_pid(int nr)
> }
> EXPORT_SYMBOL_GPL(find_pid);
>
> -int fastcall find_attach_pid(struct task_struct *task, enum pid_type type,
> - int nr)
> +int fastcall attach_pid(struct task_struct *task, enum pid_type type,
> + struct pid *pid)
> {
> struct pid_link *link;
> - struct pid *pid;
>
> link = &task->pids[type];
> - link->pid = pid = find_pid(nr);
> + link->pid = pid;
> hlist_add_head_rcu(&link->node, &pid->tasks[type]);

```

```
>  
> return 0;
```

Containers mailing list
Containers@lists.osdl.org
<https://lists.osdl.org/mailman/listinfo/containers>
