

---

Subject: [PATCH 4/12] L2 network namespace (v3): devinet sysctl's checks  
Posted by [Mishin Dmitry](#) on Wed, 17 Jan 2007 16:01:57 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

This patch prohibits sysctl's registrations for devices, initialized in non-init network namespace. This is required due to absense of the sysctl virtualization.

Signed-off-by: Dmitry Mishin <dim@openvz.org>

```
---
net/ipv4/devinet.c | 26 ++++++-----
1 file changed, 16 insertions(+), 10 deletions(-)

--- linux-2.6.20-rc4-mm1.net_ns.orig/net/ipv4/devinet.c
+++ linux-2.6.20-rc4-mm1.net_ns/net/ipv4/devinet.c
@@ -160,15 +160,17 @@ struct in_device *inetdev_init(struct ne
/* Reference in_dev->dev */
dev_hold(dev);
#ifdef CONFIG_SYSCTL
- neigh_sysctl_register(dev, in_dev->arp_parms, NET_IPV4,
- NET_IPV4_NEIGH, "ipv4", NULL, NULL);
+ if (current_net_ns == &init_net_ns)
+ neigh_sysctl_register(dev, in_dev->arp_parms, NET_IPV4,
+ NET_IPV4_NEIGH, "ipv4", NULL, NULL);
#endif

/* Account for reference dev->ip_ptr (below) */
in_dev_hold(in_dev);

#ifdef CONFIG_SYSCTL
- devinet_sysctl_register(in_dev, &in_dev->cnf);
+ if (current_net_ns == &init_net_ns)
+ devinet_sysctl_register(in_dev, &in_dev->cnf);
#endif
ip_mc_init_dev(in_dev);
if (dev->flags & IFF_UP)
@@ -211,13 +213,15 @@ static void inetdev_destroy(struct in_de
}

#ifdef CONFIG_SYSCTL
- devinet_sysctl_unregister(&in_dev->cnf);
+ if (current_net_ns == &init_net_ns)
+ devinet_sysctl_unregister(&in_dev->cnf);
#endif

dev->ip_ptr = NULL;

#ifdef CONFIG_SYSCTL
```

```

- neigh_sysctl_unregister(in_dev->arp_parms);
+ if (current_net_ns == &init_net_ns)
+ neigh_sysctl_unregister(in_dev->arp_parms);
#endif
    neigh_parms_release(&arp_tbl, in_dev->arp_parms);
    arp_ifdown(dev);
@@ -1105,11 +1109,13 @@ static int inetdev_event(struct notifier
    inetdev_changename(dev, in_dev);

#ifdef CONFIG_SYSCTL
- devinet_sysctl_unregister(&in_dev->cnf);
- neigh_sysctl_unregister(in_dev->arp_parms);
- neigh_sysctl_register(dev, in_dev->arp_parms, NET_IPV4,
-     NET_IPV4_NEIGH, "ipv4", NULL, NULL);
- devinet_sysctl_register(in_dev, &in_dev->cnf);
+ if (current_net_ns == &init_net_ns) {
+ devinet_sysctl_unregister(&in_dev->cnf);
+ neigh_sysctl_unregister(in_dev->arp_parms);
+ neigh_sysctl_register(dev, in_dev->arp_parms, NET_IPV4,
+     NET_IPV4_NEIGH, "ipv4", NULL, NULL);
+ devinet_sysctl_register(in_dev, &in_dev->cnf);
+ }
#endif
    break;
}

```

---

Containers mailing list  
Containers@lists.osdl.org  
<https://lists.osdl.org/mailman/listinfo/containers>

---