

---

Subject: [PATCH 11/12] L2 network namespace (v3): sockets proc view virtualization

Posted by [Mishin Dmitry](#) on Wed, 17 Jan 2007 16:16:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Only current net namespace sockets or all sockets in case of init\_net\_ns should be visible through proc interface.

Signed-off-by: Dmitry Mishin <dim@openvz.org>

---

```
include/net/af_unix.h | 21 ++++++++-----
net/ipv4/tcp_ipv4.c   | 9 ++++++++
net/ipv4/udp.c        | 13 ++++++++--
3 files changed, 37 insertions(+), 6 deletions(-)
```

--- linux-2.6.20-rc4-mm1/net\_ns.orig/include/net/af\_unix.h

+++ linux-2.6.20-rc4-mm1/net\_ns/include/net/af\_unix.h

@@ -19,9 +19,13 @@ extern atomic\_t unix\_tot\_inflight;

```
static inline struct sock *first_unix_socket(int *i)
{
+ struct sock *sk;
+
  for (*i = 0; *i <= UNIX_HASH_SIZE; (*i)++) {
- if (!hlist_empty(&unix_socket_table[*i]))
- return __sk_head(&unix_socket_table[*i]);
+ for (sk = sk_head(&unix_socket_table[*i]); sk; sk = sk_next(sk))
+ if (net_ns_match(sk->sk_net_ns, current_net_ns) ||
+ net_ns_match(current_net_ns, &init_net_ns))
+ return sk;
  }
  return NULL;
}

@@ -32,10 +36,19 @@ static inline struct sock *next_unix_soc
/* More in this chain? */
if (next)
  return next;
+ for (; next != NULL; next = sk_next(next)) {
+ if (!net_ns_match(next->sk_net_ns, current_net_ns) &&
+ !net_ns_match(current_net_ns, &init_net_ns))
+ continue;
+ return next;
+ }
/* Look for next non-empty chain. */
for ((*i)++; *i <= UNIX_HASH_SIZE; (*i)++) {
- if (!hlist_empty(&unix_socket_table[*i]))
- return __sk_head(&unix_socket_table[*i]);
```

```

+ for (next = sk_head(&unix_socket_table[*i]); next;
+     next = sk_next(next))
+ if (net_ns_match(next->sk_net_ns, current_net_ns) ||
+     net_ns_match(current_net_ns, &init_net_ns))
+     return next;
+ }
+ return NULL;
+ }
--- linux-2.6.20-rc4-mm1.net_ns.orig/net/ipv4/tcp_ipv4.c
+++ linux-2.6.20-rc4-mm1.net_ns/net/ipv4/tcp_ipv4.c
@@ -1992,6 +1992,9 @@ get_req:
+ }
+ get_sk:
+     sk_for_each_from(sk, node) {
+ if (!net_ns_match(sk->sk_net_ns, current_net_ns) &&
+     !net_ns_match(current_net_ns, &init_net_ns))
+     continue;
+     if (sk->sk_family == st->family) {
+         cur = sk;
+         goto out;
@@ -2043,6 +2046,9 @@ static void *established_get_first(struct

+     read_lock(&tcp_hashinfo.ehash[st->bucket].lock);
+     sk_for_each(sk, node, &tcp_hashinfo.ehash[st->bucket].chain) {
+ if (!net_ns_match(sk->sk_net_ns, current_net_ns) &&
+     !net_ns_match(current_net_ns, &init_net_ns))
+     continue;
+     if (sk->sk_family != st->family) {
+         continue;
+     }
@@ -2102,6 +2108,9 @@ get_tw:
+     sk = sk_next(sk);

+     sk_for_each_from(sk, node) {
+ if (!net_ns_match(sk->sk_net_ns, current_net_ns) &&
+     !net_ns_match(current_net_ns, &init_net_ns))
+     continue;
+     if (sk->sk_family == st->family)
+         goto found;
+     }
--- linux-2.6.20-rc4-mm1.net_ns.orig/net/ipv4/udp.c
+++ linux-2.6.20-rc4-mm1.net_ns/net/ipv4/udp.c
@@ -1549,6 +1549,9 @@ static struct sock *udp_get_first(struct
+ for (state->bucket = 0; state->bucket < UDP_HTABLE_SIZE; ++state->bucket) {
+     struct hlist_node *node;
+     sk_for_each(sk, node, state->hashtable + state->bucket) {
+ if (!net_ns_match(sk->sk_net_ns, current_net_ns) &&
+     !net_ns_match(current_net_ns, &init_net_ns))

```

```

+   continue;
+   if (sk->sk_family == state->family)
+       goto found;
+   }
@@ -1565,8 +1568,14 @@ static struct sock *udp_get_next(struct
+   do {
+       sk = sk_next(sk);
+   try_again:
-   ;
-   } while (sk && sk->sk_family != state->family);
+   if (!sk)
+       break;
+   if (sk->sk_family != state->family)
+       continue;
+   if (net_ns_match(sk->sk_net_ns, current_net_ns) ||
+       net_ns_match(current_net_ns, &init_net_ns))
+       break;
+   } while (1);

+   if (!sk && ++state->bucket < UDP_HTABLE_SIZE) {
+       sk = sk_head(state->hashtable + state->bucket);

```

---

Containers mailing list

Containers@lists.osdl.org

<https://lists.osdl.org/mailman/listinfo/containers>

---