

---

Subject: [patch 10/12] net namespace : add the loopback isolation

Posted by [Daniel Lezcano](#) on Fri, 19 Jan 2007 15:47:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

From: Daniel Lezcano <dlezcano@fr.ibm.com>

When a packet is outgoing, the namespace source is stored into the skbuff. Because it is the loopback address, the source == destination, so when the packet is incoming, it has already the namespace destination set into the packet.

Signed-off-by: Daniel Lezcano <dlezcano@fr.ibm.com>

---

```
include/linux/net_namespace.h | 13 ++++++++--
include/linux/skbuff.h        |  5 ++++--
net/core/net_namespace.c      | 32 ++++++++-----
net/ipv4/ip_input.c           |  2 +-
net/ipv4/ip_output.c          |  1 +
5 files changed, 44 insertions(+), 9 deletions(-)
```

Index: 2.6.20-rc4-mm1/include/linux/skbuff.h

=====

--- 2.6.20-rc4-mm1.orig/include/linux/skbuff.h

+++ 2.6.20-rc4-mm1/include/linux/skbuff.h

@@ -225,6 +225,7 @@

\* @dma\_cookie: a cookie to one of several possible DMA operations

\* done by skb DMA functions

\* @secmark: security marking

+ \* @net\_ns: namespace destination

\*/

struct sk\_buff {

@@ -309,7 +310,9 @@

#ifdef CONFIG\_NETWORK\_SECMARK

\_\_u32 secmark;

#endif

-

+#ifdef CONFIG\_NET\_NS

+ struct net\_namespace \*net\_ns;

+#endif

\_\_u32 mark;

/\* These elements must be at the end, see alloc\_skb() for details. \*/

Index: 2.6.20-rc4-mm1/net/ipv4/ip\_input.c

=====

--- 2.6.20-rc4-mm1.orig/net/ipv4/ip\_input.c

+++ 2.6.20-rc4-mm1/net/ipv4/ip\_input.c

@@ -396,7 +396,7 @@

```
iph = skb->nh.iph;

- dst_net_ns = net_ns_find_from_dest_addr(iph->daddr);
+ dst_net_ns = net_ns_find_from_dest_addr(skb);
  if (dst_net_ns && !net_ns_match(net_ns, dst_net_ns))
    push_net_ns(dst_net_ns);
/*
```

Index: 2.6.20-rc4-mm1/net/ipv4/ip\_output.c

```
=====
--- 2.6.20-rc4-mm1.orig/net/ipv4/ip_output.c
+++ 2.6.20-rc4-mm1/net/ipv4/ip_output.c
@@ -272,6 +272,7 @@
```

```
IP_INC_STATS(IPSTATS_MIB_OUTREQUESTS);
```

```
+ net_ns_tag_sk_buff(skb);
  skb->dev = dev;
  skb->protocol = htons(ETH_P_IP);
```

Index: 2.6.20-rc4-mm1/include/linux/net\_namespace.h

```
=====
--- 2.6.20-rc4-mm1.orig/include/linux/net_namespace.h
+++ 2.6.20-rc4-mm1/include/linux/net_namespace.h
@@ -8,6 +8,7 @@
#include <linux/types.h>
```

```
struct in_ifaddr;
+struct sk_buff;
```

```
struct net_namespace {
  struct kref kref;
@@ -101,10 +102,13 @@
extern __be32 net_ns_select_source_address(const struct net_device *dev,
      u32 dst, int scope);
```

```
-extern struct net_namespace *net_ns_find_from_dest_addr(u32 daddr);
+extern struct net_namespace
+*net_ns_find_from_dest_addr(const struct sk_buff *skb);
```

```
extern int net_ns_ifa_is_visible(const struct in_ifaddr *ifa);
```

```
+extern void net_ns_tag_sk_buff(struct sk_buff *skb);
+
```

```
#define SELECT_SRC_ADDR net_ns_select_source_address
```

```
#else /* CONFIG_NET_NS */
```

```

@@ -173,7 +177,8 @@
    return 0;
}

-static inline struct net_namespace *net_ns_find_from_dest_addr(u32 daddr)
+static inline struct net_namespace
+*net_ns_find_from_dest_addr(const struct sk_buff *skb)
{
    return NULL;
}
@@ -183,6 +188,10 @@
    return 1;
}

+static inline void net_ns_tag_sk_buff(struct sk_buff *skb)
+{
+;
+}
#define SELECT_SRC_ADDR inet_select_addr

#endif /* !CONFIG_NET_NS */
Index: 2.6.20-rc4-mm1/net/core/net_namespace.c
=====
--- 2.6.20-rc4-mm1.orig/net/core/net_namespace.c
+++ 2.6.20-rc4-mm1/net/core/net_namespace.c
@@ -13,6 +13,9 @@
#include <linux/in.h>
#include <linux/netdevice.h>
#include <linux/inetdevice.h>
+#include <linux/skbuff.h>
+#include <linux/ip.h>
+
#include <net/ip_fib.h>

struct net_namespace init_net_ns = {
@@ -389,18 +392,25 @@
/*
 * This function finds the network namespace destination deduced from
 * the destination address. The network namespace is retrieved from
- * the ifaddr owned by a network namespace
- * @daddr : destination
+ * the ifaddr owned by a network namespace. If the packet is for the
+ * loopback address so we assume the destination address is already filled
+ * by the sender which is the same as the receiver.
+ * @skb : the packet to be delivered
 * Returns : the network namespace destination or NULL if not found
 */
-struct net_namespace *net_ns_find_from_dest_addr(u32 daddr)

```

