
Subject: Re: [RFC][PATCH 1/3]: Replace pid_t in autofs with struct pid reference.
Posted by [Sukadev Bhattiprolu](#) on Fri, 26 Jan 2007 03:11:15 GMT
[View Forum Message](#) <> [Reply to Message](#)

Cedric Le Goater [clg@fr.ibm.com] wrote:

| comments below,

|
| > autofs_hash_nuke(sbi);
| > for (n = 0 ; n < AUTOFS_MAX_SYMLINKS ; n++) {
| > if (test_bit(n, sbi->symlink_bitmap))
|

| too many white spaces. may be you could fix those at the same time ?

There are too many of those errors in the autofs/autofs4 files. I am moving all those changes to a separate patch so the main patch stays small. Let me know if thats a bad idea.

| > + if (parse_options(data, &pipefd, &root_inode->i_uid,
| > + &root_inode->i_gid, &sbi->oz_pgrp, &minproto,
| > + &maxproto)) {
|

| I would keep the old prototype of parse_options

| > printk("autofs: called with bogus options\n");
| > goto fail_dput;
| > }
|

| and do the find_get_pid() here. it looks simpler for me.

Agree.

| > + DPRINTK(("autofs_lookup: pid = %u, pgrp = %u, catatonic = %d, "
| > + "oz_mode = %d\n", pid_nr(task_pid(current)),
| > + process_group(current), sbi->catatonic,
| > + oz_mode));
|

| you can keep current->pid I think
|

I am not sure. If a process unshares its pid-ns and then used to automount in the child ns, won't we print the wrong pid ?

Containers mailing list
Containers@lists.osdl.org
<https://lists.osdl.org/mailman/listinfo/containers>
