Subject: [PATCH] pidspace rocket driver
Posted by Sukadev Bhattiprolu on Thu, 22 Feb 2007 23:31:41 GMT
View Forum Message <> Reply to Message

From: Sukadev Bhattiprolu <sukadev@us.ibm.com>
Subject: [PATCH] pidspace rocket driver

The process_session() and process_group() values are not really
used by the driver.

Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>
Cc: Cedric Le Goater <clg@fr.ibm.com>
Cc: Dave Hansen <haveblue@us.ibm.com>
Cc: Serge Hallyn <serue@us.ibm.com>
Cc: containers@lists.osdl.org
---
 drivers/char/rocket.c | 3 ---
 drivers/char/rocket_int.h | 2 --
 2 files changed, 5 deletions(-)

Index: lx26-20-mm1/drivers/char/rocket.c
===
--- lx26-20-mm1.orig/drivers/char/rocket.c 2007-02-16 14:32:40.000000000 -0800
+++ lx26-20-mm1/drivers/char/rocket.c 2007-02-16 15:42:42.000000000 -0800
@@ -1018,9 +1018,6 @@ static int rp_open(struct tty_struct *tt
  /*
   * Info->count is now 1; so it's safe to sleep now.
   */
- info->session = process_session(current);
- info->pgrp = process_group(current);
-
  if ((info->flags & ROCKET_INITIALIZED) == 0) {
   cp = &info->channel;
   sSetRxTrigger(cp, TRIG_1);
Index: lx26-20-mm1/drivers/char/rocket_int.h
===
--- lx26-20-mm1.orig/drivers/char/rocket_int.h 2007-02-04 10:44:54.000000000 -0800
+++ lx26-20-mm1/drivers/char/rocket_int.h 2007-02-16 15:42:42.000000000 -0800
@@ -1156,8 +1156,6 @@ struct r_port {
  int xmit_head;
  int xmit_tail;
  int xmit_cnt;
- int session;
- int pgrp;
  int cd_status;
  int ignore_status_mask;
  int read_status_mask;

_____

Containers mailing list
Containers@lists.osdl.org
https://lists.osdl.org/mailman/listinfo/containers