Subject: Changed gentoo-add_ip.sh to work with baselayout-vserver-1.11.14-r3
Posted by steffen.zieger on Wed, 01 Mar 2006 09:13:24 GMT
View Forum Message <> Reply to Message

Hello,

I've fixed the gentoo-add_ip.sh to work again with baselayout-vserver-1.11.14-r3.
Also I've fixed a hardcoded venet0 where it wasn't necessary.

Here is a diff:

```
--- gentoo-add_ip.sh.orig       2006-03-01 09:46:27.806261592 +0100
+++ gentoo-add_ip.sh    2006-03-01 09:48:43.808586096 +0100
@@ -37,7 +37,7 @@
        rc-update del net.eth0 &>/dev/null
        ln -sf /etc/init.d/net.lo /etc/init.d/net.${VENET_DEV}
        rc-update add net.lo boot &>/dev/null
-       rc-update add net.venet0 default &>/dev/null
+       rc-update add net.${VENET_DEV}  default &>/dev/null
        if ! grep -qe "^config_eth" ${IFCFG} 2>/dev/null; then
                return 0
        fi
@@ -54,7 +54,7 @@
        fix_net
        put_param3 ${IFCFG} "config_${VENET_DEV}" ""
        # add fake route
-       put_param3 ${IFCFG} "routes_${VENET_DEV}" "-net ${FAKEGATEWAYNET}/24"
+       put_param3 ${IFCFG} "routes_${VENET_DEV}" "-net ${FAKEGATEWAYNET} netmask
255.255.255.255 dev ${VENET_DEV}"
        add_param3 ${IFCFG} "routes_${VENET_DEV}" "default via ${FAKEGATEWAY}"
        # Set up /etc/hosts
        if [ ! -f ${HOSTFILE} ]; then
```

At the moment, I'm trying to get an gentoo-template for productivity to work.
I'm in the last steps. There is only one problem left with disk quota.

HAND,
Steffen