
Subject: Re: [PATCH] Remove unused member from nsproxy
Posted by [Cedric Le Goater](#) on Wed, 26 Sep 2007 13:31:18 GMT
[View Forum Message](#) <> [Reply to Message](#)

Pavel Emelyanov wrote:

> The nslock spinlock is not used in the kernel at all.

it's also useless now that you have put some RCU rules around it.
right ?

C.

> Remove it.

> Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

>

> ---

>

> diff --git a/include/linux/init_task.h b/include/linux/init_task.h

> index a3f2541..cae35b6 100644

> --- a/include/linux/init_task.h

> +++ b/include/linux/init_task.h

> @@ -73,7 +73,6 @@ extern struct nsproxy init_nsproxy;

> #define INIT_NS_PROXY(nsproxy) { \

> .pid_ns = &init_pid_ns, \

> .count = ATOMIC_INIT(1), \

> - .nslock = __SPIN_LOCK_UNLOCKED(nsproxy.nslock), \

> .uts_ns = &init_uts_ns, \

> .mnt_ns = NULL, \

> INIT_NET_NS(net_ns) \

> diff --git a/include/linux/nsproxy.h b/include/linux/nsproxy.h

> index 4d564d8..0e66b57 100644

> --- a/include/linux/nsproxy.h

> +++ b/include/linux/nsproxy.h

> @@ -23,7 +23,6 @@ struct pid_namespace;

> */

> struct nsproxy {

> atomic_t count;

> - spinlock_t nslock;

> struct uts_namespace *uts_ns;

> struct ipc_namespace *ipc_ns;

> struct mnt_namespace *mnt_ns;

>

> Containers mailing list

> Containers@lists.linux-foundation.org

> <https://lists.linux-foundation.org/mailman/listinfo/containers>

>

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
