

---

Subject: Re: [PATCH 1/5] The config option itself  
Posted by [Randy Dunlap](#) on Mon, 01 Oct 2007 16:37:15 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

On Mon, 01 Oct 2007 19:33:27 +0400 Pavel Emelyanov wrote:

```
> diff --git a/init/Kconfig b/init/Kconfig
> index 6bb603a..67b1e41 100644
> --- a/init/Kconfig
> +++ b/init/Kconfig
> @@ -390,6 +381,23 @@ config RELAY
>
>     If unsure, say N.
>
> +config NAMESPACES
> + bool "Namespaces support" if EMBEDDED
> + default !EMBEDDED
> + help
> +   Provides the way to make tasks work with different objects using
> +   the same id. For example same IPC id may refer to different objects
> +   or same user id or pid may refer to different tasks when used in
> +   different namespaces.
> +
> +config NAMESPACES_EXPERIMENTAL
> + bool "Add experimental namespaces support"
```

experimental

```
> + depends on NAMESPACES && EXPERIMENTAL
> + default n
> + help
> +   Also include the support for the namespaces that are not finished
```

finished

```
> + or well developed yet
> +
> config BLK_DEV_INITRD
> bool "Initial RAM filesystem and RAM disk (initramfs/initrd) support"
> depends on BROKEN || !FRV
```

---

~Randy

---