
Subject: [PATCH][just for review] memory controller enhancements [2/5] remember page cache

Posted by [KAMEZAWA Hiroyuki](#) on Thu, 11 Oct 2007 09:51:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

Add PCGF_PAGECACHE flag to page_cgroup to remember "this page is charged as page-cache."

This is very useful for implementing precise accounting in memory cgroup.

Signed-off-by: KAMEZAWA Hiroyuki <kamezawa.hiroyu@jp.fujitsu.com>

Signed-off-by: YAMAMOTO Takashi <yamamoto@valinux.co.jp>

mm/memcontrol.c | 18 ++++++-----
1 file changed, 15 insertions(+), 3 deletions(-)

Index: devel-2.6.23-rc8-mm2/mm/memcontrol.c

```
=====
--- devel-2.6.23-rc8-mm2.orig/mm/memcontrol.c
+++ devel-2.6.23-rc8-mm2/mm/memcontrol.c
@@ -83,6 +83,8 @@ struct page_cgroup {
    struct mem_cgroup *mem_cgroup;
    atomic_t ref_cnt; /* Helpful when pages move b/w */
    /* mapped and cached states */
+ int flags;
+#define PCGF_PAGECACHE (0x1) /* charged as page-cache */
};

enum {
@@ -305,8 +307,8 @@ unsigned long mem_cgroup_isolate_pages(u
    * 0 if the charge was successful
    * < 0 if the cgroup is over its limit
    */
-int mem_cgroup_charge(struct page *page, struct mm_struct *mm,
-    gfp_t gfp_mask)
+static int mem_cgroup_charge_common(struct page *page, struct mm_struct *mm,
+    gfp_t gfp_mask, int is_cache)
{
    struct mem_cgroup *mem;
    struct page_cgroup *pc;
@@ -406,6 +408,10 @@ noreclaim:
    atomic_set(&pc->ref_cnt, 1);
    pc->mem_cgroup = mem;
    pc->page = page;
+ if (is_cache)
+ pc->flags = PCGF_PAGECACHE;
+ else
+ pc->flags = 0;
```

```

if (page_cgroup_assign_new_page_cgroup(page, pc)) {
/*
 * an another charge is added to this page already.
@@ -431,6 +437,12 @@ err:
    return -ENOMEM;
}

+int mem_cgroup_charge(struct page *page, struct mm_struct *mm,
+ gfp_t gfp_mask)
+{
+ return mem_cgroup_charge_common(page, mm, gfp_mask, 0);
+}
+
/*
 * See if the cached pages should be charged at all?
 */
@@ -443,7 +455,7 @@ int mem_cgroup_cache_charge(struct page

    mem = rcu_dereference(mm->mem_cgroup);
    if (mem->control_type == MEM_CGROUP_TYPE_ALL)
- return mem_cgroup_charge(page, mm, gfp_mask);
+ return mem_cgroup_charge_common(page, mm, gfp_mask, 1);
    else
        return 0;
}

```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
