
Subject: Re: [RFC][for -mm] memory cgroup enhancements take3 [9/9] per zone stat

Posted by [yamamoto](#) on Tue, 30 Oct 2007 12:42:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
> > + if (active && !(pc->flags & PAGE_CGROUP_FLAG_ACTIVE))
> > + direction = 1; /*from inactive to active */
> > + if (!active && (pc->flags & PAGE_CGROUP_FLAG_ACTIVE))
> > + direction = -1;
> > +
> > + if (direction) {
> > + struct mem_cgroup_zonestat *zstat = &pc->mem_cgroup->zonestat;
> > + int index = page_cgroup_to_zonestat_index(pc);
> > + preempt_disable();
> > + __mem_cgroup_zonestat_add(zstat, MEM_CGROUP_ZONESTAT_ACTIVE,
> > + direction, index);
> > + __mem_cgroup_zonestat_add(zstat, MEM_CGROUP_ZONESTAT_INACTIVE,
> > + direction, index);
> >
> > dec?
> >
> direction(add value) is 1 or -1 here. Hmm, this is maybe confusing.
> ok, I'll clean up this.
```

adding the same value to both of active and inactive seems wrong.
i think you want to subtract 'direction' from inactive here.

YAMAMOTO Takashi

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
