
Subject: Re: [RFC][for -mm] memory controller enhancements for reclaiming take2
[2/8] add BUG_ON() in mem_cgr

Posted by [Balbir Singh](#) on Tue, 04 Dec 2007 16:01:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

KAMEZAWA Hiroyuki wrote:

> This should be BUG_ON(). I misunderstood initialization path.

>

> Signed-off-by: KAMEZAWA Hiroyuki <kamezawa.hiroyu@jp.fujitsu.com>

>

> mm/memcontrol.c | 3 +--

> 1 file changed, 1 insertion(+), 2 deletions(-)

>

> Index: linux-2.6.24-rc3-mm2/mm/memcontrol.c

> =====

> --- linux-2.6.24-rc3-mm2.orig/mm/memcontrol.c

> +++ linux-2.6.24-rc3-mm2/mm/memcontrol.c

> @@ -206,8 +206,7 @@ static void mem_cgroup_charge_statistics

> static inline struct mem_cgroup_per_zone *

> mem_cgroup_zoneinfo(struct mem_cgroup *mem, int nid, int zid)

> {

> - if (!mem->info.nodeinfo[nid])

> - return NULL;

> + BUG_ON(!mem->info.nodeinfo[nid]);

> return &mem->info.nodeinfo[nid]->zoneinfo[zid];

> }

>

>

Acked-by: Balbir Singh <balbir@linux.vnet.ibm.com>

--

Warm Regards,

Balbir Singh

Linux Technology Center

IBM, ISTL

Containers mailing list

Containers@lists.linux-foundation.org

<https://lists.linux-foundation.org/mailman/listinfo/containers>
