
Subject: Re: [vzctl] exec early script at start
Posted by [kir](#) on Wed, 16 Jan 2008 10:22:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

Yoann Moulin wrote:

> Kir Kolyshkin a écrit :

>> Technically, if you want to do something before vzctl start executes,
>> the way to go would be to write a simple shell wrapper which will do
>> what's needed and then run vzctl. Something like this:

>> <....skipped....>

> it was my first id, but I thought it wasn't compatible with reboot

> action (I saw today that reboot is done by cron which call vzctl).

In this case, rename vzctl to vzctl.real and put your wrapper script in
place of vzctl.

>

> So it's necessary to call that script vzctl or change the script call

> by cron when a reboot is ask from a VE.

>

> But; is that compatible with "vzctl restart" ? I meant 'restart' can't

> be call, script must do a stop, execute some action, then do a start,

> so with that script 'restart' option for vzctl will be deprecated .

Right, here comes the problem.

>

> that's why I've decided to patch env.c because it's was the most

> transparency way to do what I want, without change anything in how

> vzctl works if the 'early_script.sh' doesn't exist.

Yeah, now I understand.

Have you tried using /etc/vz/conf/\$VEID.start script? There are also
.stop, .mount and .umount. I'm sorry if it is not documented; will fix that.

Note that mount/umount scripts are both per-VE and global (global one is
called vps.mount/vps.umount), while start/stop are only per-VE. This can
easily be fixed: look at src/lib/env.c, functions vps_start_custom()
and vps_stop() to see how start/stop scripts is called, then look at
src/lib/fs.c, functions vps_mount() and vps_umount() to see how both
global and per-VE mount/umount scripts are called. Now you can modify
code in env.c to have global start/stop scripts as well. Patches are
welcome.

PS the best way to do patches is to use git.
