

---

Subject: Re: mount: unknown filesystem type 'nfs' (2.6.24 git)

Posted by [John Kelly](#) on Fri, 01 Feb 2008 13:58:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

2.6.24 works:

Script started on Fri 01 Feb 2008 08:43:27 AM EST

```
debian:~/temp# lsmod | grep nfs
nfs                106540  1
lockd              53608  2 nfs
sunrpc             144604  8 nfs,lockd
```

```
debian:~/temp# modprobe -v nfs
```

```
debian:~/temp# lsmod | grep nfs
nfs                106540  1
lockd              53608  2 nfs
sunrpc             144604  8 nfs,lockd
```

```
debian:~/temp# tail -n 10 /var/log/messages
```

```
Feb  1 08:36:50 debian kernel: agpgart: agp_backend_initialize() failed.
Feb  1 08:36:50 debian kernel: agpgart-serverworks: probe of 0000:00:00.1 failed with error -22
Feb  1 08:36:50 debian kernel: input: Power Button (FF) as /devices/virtual/input/input3
Feb  1 08:36:50 debian kernel: ACPI: Power Button (FF) [PWRB]
Feb  1 08:36:50 debian kernel: EXT3 FS on dm-2, internal journal
Feb  1 08:36:50 debian kernel: loop: module loaded
Feb  1 08:36:50 debian kernel: Adding 524280k swap on /dev/mapper/v0-swap. Priority:-1
extents:1 across:524280k
Feb  1 08:36:50 debian kernel: e100: eth0: e100_watchdog: link up, 100Mbps, full-duplex
Feb  1 08:39:18 debian kernel: RPC: Registered udp transport module.
Feb  1 08:39:18 debian kernel: RPC: Registered tcp transport module.
```

```
debian:~/temp# grep nfs /proc/filesystems
nodev  nfs
```

```
debian:~/temp# exit
exit
```

Script done on Fri 01 Feb 2008 08:44:38 AM EST

2.6.24-openvz fails:

Script started on Fri 01 Feb 2008 08:50:44 AM EST

```
debian:~/temp# lsmod | grep nfs
nfs                107596  0
lockd              54792  1 nfs
sunrpc             146300  4 nfs,lockd
```

```
debian:~/temp# modprobe -v nfs
```

```
debian:~/temp# lsmod | grep nfs
```

```
nfs                107596  0
lockd              54792  1 nfs
sunrpc            146300  4 nfs,lockd
```

```
debian:~/temp# tail -n 10 /var/log/messages
```

```
Feb  1 08:49:12 debian kernel: input: Power Button (FF) as /devices/virtual/input/input3
Feb  1 08:49:12 debian kernel: ACPI: Power Button (FF) [PWRF]
Feb  1 08:49:12 debian kernel: EXT3 FS on dm-2, internal journal
Feb  1 08:49:12 debian kernel: loop: module loaded
Feb  1 08:49:12 debian kernel: Adding 524280k swap on /dev/mapper/v0-swap. Priority:-1
extents:1 across:524280k
Feb  1 08:49:12 debian kernel: e100: eth0: e100_watchdog: link up, 100Mbps, full-duplex
Feb  1 08:49:14 debian kernel: ip_tables: (C) 2000-2006 Netfilter Core Team
Feb  1 08:49:14 debian kernel: NET: Registered protocol family 17
Feb  1 08:50:05 debian kernel: RPC: Registered udp transport module.
Feb  1 08:50:05 debian kernel: RPC: Registered tcp transport module.
```

```
debian:~/temp# grep nfs /proc/filesystems
```

```
debian:~/temp# exit
```

```
exit
```

Script done on Fri 01 Feb 2008 08:51:47 AM EST  
The difference is that nfs does not appear under filesystems with the openvz kernel. I wonder why? The exact same system is used to boot both kernels.

My kernel config is minimal, I eliminated as much as possible. Maybe some deprecated option is needed by the openvz kernel but not the vanilla?

Or maybe it's an openvz bug?