
Subject: Re: Source based routing

Posted by [sspt](#) on Thu, 27 Mar 2008 00:40:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

All the outputs are the same before and after it stops working

```
[root@node ~]# ip route
69.xxx.xx2.2 dev venet0 scope link
67.xxx.x93.141 dev venet0 scope link
69.xxx.xx0.179 dev venet0 scope link
67.xxx.x93.131 dev venet0 scope link
67.xxx.x93.128/28 dev eth1 proto kernel scope link src 67.xxx.x93.130
69.xxx.xx0.128/26 dev eth0 proto kernel scope link src 69.xxx.xx0.181
default via 67.xxx.x93.129 dev eth1
```

```
[root@node ~]# ip rule
0: from all lookup 255
32763: from 69.xxx.xxx.0/27 lookup 8
32764: from 69.xxx.xx2.0/27 lookup 8
32765: from 69.xxx.xx0.128/26 lookup 8
32766: from all lookup main
32767: from all lookup default
```

```
[root@node ~]# arp -n
```

Address	HWtype	HWaddress	Flags	Mask	Iface
69.xxx.xx0.189	ether	00:30:48:76:EC:8C	C		eth0
69.xxx.xx0.129	ether	00:01:30:BA:94:50	C		eth0
67.xxx.x93.129	ether	00:01:30:B5:7A:D0	C		eth1
69.xxx.xx0.186	ether	00:30:48:76:EC:8C	C		eth0
69.xxx.xx0.182	ether	00:30:48:76:EC:8C	C		eth0
69.xxx.xx0.188	ether	00:30:48:76:EC:8C	C		eth0
69.xxx.xx0.179	*	*	MP		eth1
69.xxx.xx0.179	*	*	MP		eth0
67.xxx.x93.131	*	*	MP		eth1
67.xxx.x93.131	*	*	MP		eth0
69.xxx.xx2.2	*	*	MP		eth1
69.xxx.xx2.2	*	*	MP		eth0
67.xxx.x93.141	*	*	MP		eth1
67.xxx.x93.141	*	*	MP		eth0

if i run

```
arp send -U -i VE_IP -c 1 eth0
```

It'll work again