Subject: Patch to correct order of unmounting in vzctl
Posted by Griffon26 on Fri, 28 Apr 2006 22:53:04 GMT
View Forum Message <> Reply to Message

Hi guys,

The attached patch corrects the unmount order in vzctl to follow the
description of it in the user manual (VPS umount before global umount
instead of the other way around). It applies to vzctl-3.0.0.8.

Regards,
Maurice.

--
Maurice van der Pot

Gentoo Linux Developer griffon26@gentoo.org http://www.gentoo.org
Creator of BiteMe! griffon26@kfk4ever.com http://www.kfk4ever.com

```
diff -ruN vzctl-3.0.0-8/src/lib/fs.c vzctl-3.0.0-8-patched/src/lib/fs.c
--- vzctl-3.0.0-8/src/lib/fs.c 2006-04-19 14:19:06.000000000 +0200
+++ vzctl-3.0.0-8-patched/src/lib/fs.c 2006-04-28 23:51:09.843033500 +0200
@@ -179,16 +179,16 @@
   return 0;
  }
  if (!(skip & SKIP_ACTION_SCRIPT)) {
-  snprintf(buf, sizeof(buf), "%svps.%s", VPS_CONF_DIR,
-   UMOUNT_PREFIX);
+  snprintf(buf, sizeof(buf), "%s%d.%s", VPS_CONF_DIR,
+   veid, UMOUNT_PREFIX);
   for (i = 0; i < 2; i++) {
    if (run_pre_script(veid, buf)) {
     logger(0, 0, "Error executing umount script %s",
      buf);
     return VZ_ACTIONSCRIPT_ERROR;
    }
-   snprintf(buf, sizeof(buf), "%s%d.%s", VPS_CONF_DIR,
-    veid, UMOUNT_PREFIX);
+   snprintf(buf, sizeof(buf), "%svps.%s", VPS_CONF_DIR,
+    UMOUNT_PREFIX);
   }
  }
  if (!(ret = fsumount(veid, root)))
```