
Subject: Re: Pb with multiple identical nfs mount dir in different VEs

Posted by [mistur](#) on Wed, 30 Apr 2008 10:16:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

maratrus wrote on Wed, 30 April 2008 10:07Hi,

I've suspected that something is not quite clear with ubuntu "ifdown*" utilities.
But the fact is that in redhat based OS ifdown is a simple script so it's easy to investigate it:
it calls appropriate script in /etc/sysconfig/network-scripts/.
And the only thing I've found there is:

Yep, that's true.

Quote:1. If it's possible we can investigate src files of appropriate utilities in ubuntu OS.

bridge : located in /etc/network/if-post-down.d/bridge
vlan : located : /etc/network/if-post-down.d/vlan
ifdown-venet : located : /etc/sysconfig/network-scripts/ifdown-venet

in /etc/sysconfig/network-scripts/ there are 2 others scripts : ifcfg-venet0 and ifup-venet and in
/etc/network/if-down.d/ there is only postfix script but there are not used in our case i guess.

I've try ifdown without those script (move them to /tmp), but nothing change

Quote:2. ifdown can generate another process so could you possible try to it in the following way:

strace -fF -o out.txt ifdown eth1.35

see out.txt *with* script in /etc/network/if-post-down.d/ and /etc/sysconfig/network-scripts/

see out2.txt *without* script in /etc/network/if-post-down.d/ and /etc/sysconfig/network-scripts/

Thank you for your help

Yoann

File Attachments

- 1) [out.txt](#), downloaded 432 times
 - 2) [bridge](#), downloaded 338 times
 - 3) [vlan](#), downloaded 422 times
 - 4) [ifdown-venet](#), downloaded 289 times
 - 5) [out2.txt](#), downloaded 364 times
-