

---

Subject: Re: debian+networking  
Posted by [eugenio pacheco](#) on Fri, 11 Nov 2005 10:40:43 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Sure. The URL is:

[http://debian.marlow.dk/vserver/guest/\\_debian\\_sarge\\_20050123.tb2](http://debian.marlow.dk/vserver/guest/_debian_sarge_20050123.tb2)

It works just fine, I just had to untar, then tar again as tar.gz and put it into /vz/template/cache. I changed its name to debian-3.1-i386-minimal.tar.gz. Then after you create the VPS using otemplate debian-3.1-i386-minimal, you will have to change VPSID.conf and add the OSTEMPLATE='debian-3.1' and manually start rcS (vzctl exec VPSID /etc/init.d/rcS). After that you will be able to log into your VPS, but you will have to use /etc/init.d/rmnologin to get rid of a message saying you need to wait the system to boot up and you will have to add the simfs something line to /etc/mtab from inside the VPS, please look above in this message to see what the line is.

I tried to make OpenVZ execute the commands by creating a VPSID.mount and afterwards changing it to VPSID.start, in both cases it didn't work. I think I should have created an installation-post file to fix it, but I didn't understand the current templates. Can anyone help me? I tried to copy /vz/template/centos/4/i386/config to /vz/template/debian/3.1/i386/config and change it but it didn't work at all. Have I done something wrong?

---